

Toll-Free: 1-800-462-4983



AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Chisel

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 390-BC Chisel is for use in most Cleco-Roto-Aro Scalers.

- Non-Sparking
- Non-Magnetic




Mfg Part#	Description
390-BC*	2" x 7" OAL

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Chisel

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 910-2-BC Chisel is for use in .401 Air Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description	Size
910-2-BC*	0.401 Air Hammer	2" x 7"

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Chisel

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 3221-BC Chisel is for use in most Scaling Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description	Collar	Size
3221-BC*	Use with Scaling Hammers	Oval	6 1/2"

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Chisel

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 323-BC Chisel is for use in Chipping Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description	Collar	Size
323-BC*	.680 Round Shank	Oval	2 1/2"x10"

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Ripper Chisel
Jumbo Shank

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 295-BC Chisel is for use in Rivet Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description
295-BC*	9 1/2" Oval, for Rivet Hammers

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Banana Wedge

For use in chemical and oil refinery applications where flammable vapors or residue are present.

- Non-Sparking
- Non-Magnetic

Mfg Part#	Description
876-BC*	13/16" x 13/16" x 12"

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Chisel

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 380-BC Chisel is for use in most Scaling Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description	Size
380-BC*	Oval	2" x 8"

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Panel Cutter

For use in chemical and oil refinery applications where flammable vapors or residue are present. The 909-BC Panel Cutter is for use in .401 Air Hammers.

- Non-Sparking
- Non-Magnetic



Mfg Part#	Description
909-BC*	6" OAL

AJAX TOOLS

Beryllium Copper Safety Tools
Non-Sparking Flange Wedge

For use in chemical and oil refinery applications where flammable vapors or residue are present.

- Non-Sparking
- Non-Magnetic

Mfg Part#	Description
875-BC*	7/8" x 7/8" x 11"

AJAX TOOLS

Chipping Hammer Chisels
Cape Chisel
Non-Collar

Mfg Part#	Stock	Length	Width	Wt(lbs)
<i>0.680 Round Shank</i>				
21*	3/4"	9"	7/16"	1.0
23*	7/8"	9"	7/16"	1.5
<i>0.580 Hex Shank</i>				
22*	3/4"	9"	7/16"	1.0
24*	7/8"	9"	7/16"	1.5



Local: 972-247-8871

AJAX TOOLS

Chipping Hammer Chisels
Blank Chisel Point
Non-Collar

Mfg Part#	Stock	Length	Wt (lbs)
<i>0.680 Round Shank</i>			
1*	3/4"	8"	1.0
1-12*	3/4"	12"	1.4
1-18*	3/4"	18"	2.3
1-24*	3/4"	24"	3.0
1-36*	3/4"	36"	4.75
1-48*	3/4"	48"	6.25
3*	7/8"	8"	1.5
3-12*	7/8"	12"	2.0
3-18*	7/8"	18"	3.0
3-24*	7/8"	24"	4.25
3-36*	7/8"	36"	6.5
3-48*	7/8"	48"	8.75
<i>0.580 Hex Shank</i>			
2*	3/4"	8"	1.0
2-12*	3/4"	12"	1.4
2-18*	3/4"	18"	2.3
2-24*	3/4"	24"	3.0
2-36*	3/4"	36"	4.75
2-48*	3/4"	48"	6.25
4*	7/8"	8"	1.5
4-12*	7/8"	12"	2.0
4-18*	7/8"	18"	3.0
4-24*	7/8"	24"	4.25
4-36*	7/8"	36"	6.5
4-48*	7/8"	48"	8.75

AJAX TOOLS

Chipping Hammer Chisels
Diamond Point Chisel
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
<i>0.680 Round Shank</i>				
41*	3/4"	9"	5/16"	1.0
43*	7/8"	9"	5/16"	1.5
<i>0.580 Hex Shank</i>				
42*	3/4"	9"	5/16"	1.0
44*	7/8"	9"	5/16"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Flat Chisel Point
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
<i>.680 Round Shank</i>				
11*	3/4"	9"	7/8"	1
11-12*	3/4"	12"	7/8"	1.5
11-18*	3/4"	18"	7/8"	2.3
11-24*	3/4"	24"	7/8"	3
11-36*	3/4"	36"	7/8"	4.75
11-48*	3/4"	48"	7/8"	6.25
11-60*	3/4"	60"	7/8"	8
11-72*	3/4"	72"	7/8"	9.5
13*	7/8"	9"	1"	1
13-12*	7/8"	12"	1"	2
13-18*	7/8"	18"	1"	3
13-24*	7/8"	24"	1"	4.25
13-36*	7/8"	36"	1"	6.5
13-48*	7/8"	48"	1"	8.75
13-60*	7/8"	60"	1"	11
13-72*	7/8"	72"	1"	13
<i>.580 Hex Shank</i>				
12*	3/4"	9"	3/4"	1
12-12*	3/4"	12"	3/4"	1.5
12-18*	3/4"	18"	3/4"	2.3
12-24*	3/4"	24"	3/4"	3
12-36*	3/4"	36"	3/4"	4.75
12-48*	3/4"	48"	3/4"	6.25
12-60*	3/4"	60"	3/4"	8
12-72*	3/4"	72"	3/4"	9.5
14*	7/8"	9"	1"	1
14-12*	7/8"	12"	1"	2
14-18*	7/8"	18"	1"	3
14-24*	7/8"	24"	1"	4.25
14-36*	7/8"	36"	1"	6.5
14-48*	7/8"	48"	1"	8.75
14-60*	7/8"	60"	1"	11
14-72*	7/8"	72"	1"	13

AJAX TOOLS

Chipping Hammer Chisels
Gouge Point
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
<i>0.680 Round Shank</i>				
51*	3/4"	9"	1"	1.0
53*	7/8"	9"	1"	1.5
<i>0.580 Hex Shank</i>				
52*	3/4"	9"	1"	1.0
54*	7/8"	9"	1"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Moil Point
Non-Collar

Mfg Part#	Stock	Length	Wt (lbs)
<i>0.680 Round Shank</i>			
91*	3/4"	9"	1.0
93*	3/4"	12"	1.4
95*	7/8"	9"	1.5
97*	7/8"	12"	2.0
<i>0.580 Hex Shank</i>			
92*	3/4"	9"	1.0
94*	3/4"	12"	1.4
96*	7/8"	9"	1.5
98*	7/8"	12"	2.0

AJAX TOOLS

Chipping Hammer Chisels
Round Nose Point
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
<i>0.680 Round Shank</i>				
31*	3/4"	9"	3/8"	1.0
33*	7/8"	9"	3/8"	1.5
<i>0.580 Hex Shank</i>				
32*	3/4"	9"	3/8"	1.0
34*	7/8"	9"	3/8"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Scaling Chisel
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
<i>0.680 Round Shank</i>				
25*	3/4"	9"	2"	1.1
25-12*	3/4"	12"	2"	1.6
25-18*	3/4"	18"	2"	2.5
27*	7/8"	9"	2"	1.7
27-12*	7/8"	12"	2"	2.1
27-18*	7/8"	18"	2"	3.25
<i>0.580 Hex Shank</i>				
26*	3/4"	9"	2"	1.1
26-12*	3/4"	12"	2"	1.6
26-18*	3/4"	18"	2"	2.5
28*	7/8"	9"	2"	1.7
28-12*	7/8"	12"	2"	2.1
28-18*	7/8"	18"	2"	3.25

Toll-Free: 1-800-462-4983



AJAX TOOLS

Chipping Hammer Chisels
Thin Blade Chisel
Non-Collar

Mfg Part#	Stock	Length	Width	Wt (lbs)
.680 Round Shank				
35*	3/4"	9"	1-1/8"	1.0
37*	7/8"	9"	1-1/8"	1.5
.580 Hex Shank				
36*	3/4"	9"	1-1/8"	1.0
40*	7/8"	9"	1-1/8"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Round Blank Point
Oval Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
301*	8-1/4"	13/16" Dia	1.25
301-12*	11-1/4"	13/16" Dia	1.5
301-18*	18"	13/16" Dia	2.5
301-24*	24"	13/16" Dia	3.25
.580 Hex Shank			
302*	8-1/4"	13/16" Dia	1.25
302-12*	11-1/4"	13/16" Dia	1.5
302-18*	18"	13/16" Dia	2.5
302-24*	24"	13/16" Dia	3.25

AJAX TOOLS

Chipping Hammer Chisels
Bush Tool - 2pc
Oval Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
343*	9-1/2"	-	2.25
345 Stem*	8"	-	1.0
5101 Head*	-	1-1/2" SQ	1.25
.580 Hex Shank			
344*	9-1/2"	-	2.25
346 Stem*	-	-	1.0
5101 Head*	-	1-1/2" SQ	1.25

AJAX TOOLS

Chipping Hammer Chisels
Bush Tool - 1pc
Oval Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
50100*	9-1/2"	1-3/4" SQ	2.5
.580 Hex Shank			
50200*	9-1/2"	1-3/4" SQ	2.5

AJAX TOOLS

Chipping Hammer Chisels
Cape Chisel Point
Oval Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
305*	9"	7/16"	1.0
305-12*	12"	7/16"	1.4
.580 Hex Shank			
306*	9"	7/16"	1.0
306-12*	12"	7/16"	1.4

AJAX TOOLS

Chipping Hammer Chisels
Diamond Point
Oval Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
309*	9"	5/16"	1.1
309-12*	12"	5/16"	1.5
.580 Hex Shank			
310*	9"	5/16"	1.1
310-12*	12"	5/16"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Gouge Chisel
Oval Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
337*	9"	1"	1.1
337-12*	12"	1"	1.5
.580 Hex Shank			
338*	9"	1"	1.1
338-12*	12"	1"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Flat Chisel Point
Oval Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
303*	9"	1"	1.25
303-12*	12"	1"	1.5
303-18*	18"	1"	2.5
303-24*	24"	1"	3.25
303-36*	36"	1"	5.1
303-48*	48"	1"	6.9
303-60*	60"	1"	8.7
303-72*	72"	1"	10.2
.580 Hex Shank			
304*	9"	1"	1.25
304-12*	12"	1"	1.5
304-18*	18"	1"	2.5
304-24*	24"	1"	3.25
304-36*	36"	1"	5.1
304-48*	48"	1"	6.9
304-60*	60"	1"	8.7
304-72*	72"	1"	10.2

AJAX TOOLS

Chipping Hammer Chisels
Moil Point
Oval Collar



Mfg Part#	Length	Wt (lbs)
.680 Round Shank		
313*	9"	1.25
315*	12"	1.5
315-18*	18"	2.5
315-24*	24"	3.25
.580 Hex Shank		
314*	9"	1.25
316*	12"	1.5
316-18*	18"	2.5
316-24*	24"	3.25

AJAX TOOLS

Chipping Hammer Chisels
Ripper Chisel Point
Oval Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
311*	9"	1 1/16"	1.0
311-12*	12"	1 1/16"	1.4
.580 Hex Shank			
312*	9"	1 1/16"	1.0
312-12*	12"	1 1/16"	1.4

AJAX TOOLS

Chipping Hammer Chisels
Round Nose
Oval Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
307*	9"	3/8"	1.0
307-12*	12"	3/8"	1.4
.580 Hex Shank			
308*	9"	3/8"	1.0
308-12*	12"	3/8"	1.4

AJAX TOOLS

Chipping Hammer Chisels
Scaling Chisel Point
Oval Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
325*	9"	1-1/2"	1.25
325-12*	12"	1-1/2"	1.5
325-18*	18"	1-1/2"	2.5
323*	9"	2"	1.25
323-12*	12"	2"	1.75
323-18*	18"	2"	2.75
323-24*	24"	2"	3.75
323-36*	36"	2"	5.75
323-48*	48"	2"	7.75
323-60*	60"	2"	9.75
323-72*	72"	2"	11.75
323-3*	9"	3"	1.5
323-12-3*	12"	3"	1.75
323-4-1/2*	10"	4-1/2"	2.25
.580 Hex Shank			
326*	9"	1-1/2"	1.25
326-12*	12"	1-1/2"	1.5
326-18*	18"	1-1/2"	2.5
324*	9"	2"	1.25
324-12*	12"	2"	1.75
324-18*	18"	2"	2.75
324-24*	24"	2"	3.75
324-36*	36"	2"	5.75
324-48*	48"	2"	7.75
324-60*	60"	2"	9.75
324-72*	72"	2"	11.75
324-3*	9"	3"	1.5
324-12-3*	12"	3"	1.75
324-4-1/2*	10"	4-1/2"	2.25

AJAX TOOLS

Chipping Hammer Chisels
Round Blank
Round Collar

Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
401*	8 1/4"	13/16"	1.25
403*	11 1/4"	13/16"	1.5
403-18*	18"	13/16"	2.5
.580 Hex Shank			
402*	8 1/4"	13/16"	1.25
404*	11 1/4"	13/16"	1.5
404-18*	18"	13/16"	2.5

AJAX TOOLS

Chipping Hammer Chisels
Bush Tool - 2pc
Round Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
443*	9-1/2"	-	2.25
445 Stem*	8"	-	1.0
5101 Head*	-	1-1/2" SQ	1.25
.580 Hex Shank			
444*	9-1/2"	-	2.25
446 Stem*	8"	-	1.0
5101 Head*	-	1-1/2" SQ	1.25

AJAX TOOLS

Chipping Hammer Chisels
Bush Tool - 1pc
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
.680 Round Shank			
50300*	9 1/2"	1 3/4" SQ	2.5
.580 Hex Shank			
50400*	9 1/2"	1 3/4" SQ	2.5

AJAX TOOLS

Chipping Hammer Chisels
Cape Chisel
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
.680 Round Shank			
413*	9"	7/16"	1.0
413-12*	12"	7/16"	1.4
.580 Hex Shank			
414*	9"	7/16"	1.0
414-12*	12"	7/16"	1.4

AJAX TOOLS

Chipping Hammer Chisels
Diamond Point
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
.680 Round Shank			
419*	9"	5/16"	1.1
419-12*	12"	5/16"	1.5
.580 Hex Shank			
420*	9"	5/16"	1.1
420-12*	12"	1"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Flat Chisel Point
Round Collar



Mfg Part#	Length	Width	Wt (lbs)
.680 Round Shank			
405*	9"	1"	1.25
407*	12"	1"	1.5
407-18*	18"	1"	2.5
407-24*	24"	1"	3.25
407-36*	36"	1"	5
407-48*	48"	1"	6
407-60*	60"	1"	8
407-72*	72"	1"	10
.580 Hex Shank			
406*	9"	1"	1.25
408*	12"	1"	1.5
408-18*	18"	1"	2.5
408-24*	24"	1"	3.25
408-36*	36"	1"	5
408-48*	48"	1"	6
408-60*	60"	1"	8
408-72*	72"	1"	10

Toll-Free: 1-800-462-4983



AJAX TOOLS

Chipping Hammer Chisels
Gouge Point
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
<i>.680 Round Shank</i>			
437*	9"	1"	1.1
437-12*	12"	1"	1.5
<i>.580 Hex Shank</i>			
438*	9"	1"	1.1
438-12*	12"	1"	1.5

AJAX TOOLS

Chipping Hammer Chisels
Moil Point
Round Collar



Mfg Part#	Length	Wt (lbs)
<i>.680 Round Shank</i>		
409*	9"	1.25
411*	12"	1.5
411-18*	18"	2.5
411-24*	24"	3.25
<i>.580 Hex Shank</i>		
410*	9"	1.25
412*	12"	1.5
412-18*	18"	2.5
412-24*	24"	3.25

AJAX TOOLS

Chipping Hammer Chisels
Bent Paper Stripper
Round Collar



Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
<i>.680 Round Shank</i>			
429*	16 3/4"	7/8"	2.1
431*	18 1/4"	7/8"	2.2

AJAX TOOLS

Chipping Hammer Chisels
Straight Paper Stripper
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
<i>.680 Round Shank</i>			
433*	16 3/4"	7/8"	2.1
435*	18 1/4"	7/8"	2.2

AJAX TOOLS

Chipping Hammer Chisels
Round Nose
Round Collar

Mfg Part#	Length	Wdth. (In.)	Wt (lbs)
<i>.680 Round Shank</i>			
417*	9"	3/8"	1.0
417-12*	12"	3/8"	1.4
<i>.580 Hex Shank</i>			
418*	9"	3/8"	1.0
418-12*	12"	3/8"	1.4

AJAX TOOLS

Chipping Hammer Chisels
Scaling Chisel Point
Round Collar



Mfg Part#	Length	Width	Wt (lbs)
<i>.680 Round Shank</i>			
425*	9"	1-1/2"	1.25
425-12*	12"	1-1/2"	1.5
425-18*	18"	1-1/2"	2.5
423*	9"	2"	1.25
423-12*	12"	2"	1.75
423-18*	18"	2"	2.75
423-24*	24"	2"	3.75
423-36*	36"	2"	5.75
423-48*	48"	2"	7.75
423-60*	60"	2"	9.75
423-72*	72"	2"	11.75
423-3*	9"	3"	1.5
423-12-3*	12"	3"	1.75
423-4-1/2*	10"	4-1/2"	2.25
<i>.580 Hex Shank</i>			
426*	9"	1-1/2"	1.25
426-12*	12"	1-1/2"	1.5
426-18*	18"	1-1/2"	2.5
424*	9"	2"	1.25
424-12*	12"	2"	1.75
424-18*	18"	2"	2.75
424-24*	24"	2"	3.75
424-36*	36"	2"	5.75
424-48*	48"	2"	7.75
424-60*	60"	2"	9.75
424-72*	72"	2"	11.75
424-3*	9"	3"	1.5
424-12-3*	12"	3"	1.75
424-4-1/2*	10"	4-1/2"	2.25

AJAX TOOLS

Chipping Hammer Retainers
3450 Threaded Retainer
Accepts both oval and round collar tools

Mfg Part#	Desc.
<i>3450 Threaded Retainer</i>	
3450*	Retainer
<i>Replacement Parts for 3450</i>	
1476*	Lock Spring
3450-3*	Spring
3450-1*	Body
3404*	Snap Washer
3450*	Sleeve
3406*	Balls (6)

AJAX TOOLS

Chipping Hammer Retainers
3400 Retainer
AJAX Kwik Change Retainer
Accepts Both Oval or Round Collar Tools

Mfg Part#	Desc.
<i>3400 Retainer</i>	
3400*	
<i>Replacement Parts for 3400</i>	
300*	Lock Spring
3404*	Snap Washer
3401**	Body
3405**	"O" Ring
3402*	Sleeve
3406*	Balls (6)
3403*	Spring

**Specify hammer manufacturer and model number*

AJAX TOOLS

Chipping Hammer Retainers
3750 Threaded Solid Retainer
For use with round collar tools only

Mfg Part#
3750*

AJAX TOOLS

Chipping Hammer Retainers
4000 Solid Retainer
For use with oval collar tools only

Mfg Part#
4000*



Local: 972-247-8871

AJAX TOOLS

Chipping Hammer Retainers
Internal Part for Retainer #3750
Washer
1472 (H3R-31) Washer (2 pc) Upper

Mfg Part#
1472*

AJAX TOOLS

Chipping Hammer Retainers
Internal Part for Retainer #3750
Bumper
1473 (H3R-203) Bumper

Mfg Part#
1473*

AJAX TOOLS

Chipping Hammer Retainers
Internal Part for Retainer #3750
Washer Lower
1474 (HHW1-213) Washer (2 pc) Lower

Mfg Part#
1474*

AJAX TOOLS

Chipping Hammer Retainers
Internal Part for Retainer #3750
Retainer Ring
1475 (HHW1-216) Retainer Ring

Mfg Part#
1475*

AJAX TOOLS

Chipping Hammer Retainers
Internal Part for Retainer #3750
Lock Spring
1476 (24SR-207) Lock Spring
(AT1191-8) Also fits Retainer #3450

Mfg Part#
1476*

AJAX TOOLS

Chipping Hammer Retainers
Lock Springs
Fits retainers #3400 and #4000

Mfg Part#	Pkg Qty
300 Heavy Duty Lock Spring	
300-P*	100
350 Standard Duty Lock Spring	
350-P*	100
400 "The Ringer"	
400-P*	100

AJAX TOOLS

Drill Steel Tools
Roto Hammer Adapters

Mfg Part#	Desc.
4014*	New "A"
4015*	Std. "A"
4016*	Std. "B"
935*	Knockout Key, 4014
938*	Knockout Key for 4015, 4016

AJAX TOOLS

Drill Steel Tools
Roto Hammer Chisels



Mfg Part#	Point Style	Length (in.)
4020*	Chisel	9"
4021*	Flat	10"
4025*	Moil	10"
4027*	Mortar	11"
4028*	Slotting	10"
4029*	Tooth	9"
4024*	Wood	12"
4045*	Bush Assm.	
4023*	Bush Stem	
5101*	Bush Head	

AJAX TOOLS

Drill Steel Tools
Carbide Rock Bits
"H" Thread

Mfg Part#	Dia.	Size	Carbide
Carbide Multi Use			
63220*	1-3/8"	8mm	11mm
63230*	1-1/2"	8mm	11mm
63240*	1-5/8"	9.5mm	14mm
63250*	1-3/4"	9.5mm	14mm
63260*	1-7/8"	9.5mm	14mm
63270*	2"	9.5mm	14mm
63280*	2 1/4"	9.5mm	14mm
63290*	2 1/2"	9.5mm	14mm
63300*	2 3/4"	9.5mm	14mm
63310*	3"	9.5mm	14mm

AJAX TOOLS

Drill Steel Tools
Carbide Rock Bits
"H" Thread



Mfg Part#	Dia.	Size	Carbide
Carbide Single Use			
63010*	1-3/8"	8mm	7mm
63020*	1-1/2"	8mm	7mm
63030*	1-5/8"	9.5mm	7mm
63040*	1-3/4"	9.5mm	7mm
63050*	1-7/8"	9.5mm	7mm
63060*	2"	9.5mm	7mm
63070*	2-1/4"	9.5mm	7mm

AJAX TOOLS

Drill Steel Tools
Carbide Rock Bits
11° Tapered



Mfg Part#	Dia.	Size	Carbide
Carbide Single Use			
63080*	1-1/8"	8mm	7mm
63090*	1-1/4"	8mm	7mm
63100*	1-3/8"	8mm	7mm
63110*	1-1/2"	8mm	7mm
63120*	1-5/8"	9.5mm	7mm
63130*	1-3/4"	9.5mm	7mm
63140*	1-7/8"	8mm	7mm
63150*	2"	8mm	7mm
63160*	1-3/8"	8mm	7mm
63170*	1-1/2"	8mm	7mm
63180*	1-5/8"	9.5mm	7mm
63190*	1-3/4"	9.5mm	7mm

Toll-Free: 1-800-462-4983



AJAX TOOLS

Drill Steel Tools
Carbide Rock Bits
11° Taperd

Mfg Part#	Dia.	Size	Carbide
<i>Carbide Multi Use</i>			
63320*	1-1/4"	8mm	11mm
63330*	1-3/8"	8mm	11mm
63340*	1-1/2"	8mm	14mm
63350*	1-5/8"	9.5mm	14mm
63360*	1-3/4"	9.5mm	14mm
63370*	1-1/2"	8mm	11mm
63380*	1-5/8"	9.5mm	14mm
63390*	1-3/4"	9.5mm	14mm

AJAX TOOLS

Drill Steel Tools
Steel Rock Bits

Mfg Part#	Hole Dia.	Thread
63400*	15/16"	"E"
63410*	1"	"E"
63420*	1-1/8"	"E"
64430*	1-1/4"	"H"
63440*	1-3/8"	"H"
63450*	1-1/2"	"H"
63460*	1-5/8"	"H"
63470*	1-3/4"	"H"
63480*	1-7/8"	"H"
63490*	2"	"H"
63500*	2-1/2"	"H"

AJAX TOOLS

Drill Steel Tools
Drill Rods
"H" Thread

Mfg Part#	Length
<i>"H" Thread - 7/8" x 3-1/4" Shank</i>	
64010*	12"
64020*	18"
64030*	24"
64040*	30"
64050*	36"
64060*	48"
64070*	60"
64080*	72"
64090*	96"
64100*	120"

AJAX TOOLS

Drill Steel Tools
Drill Rods
"E" Thread

Mfg Part#	Length
<i>"E" Thread 7/8" x 3-1/4" Shank</i>	
64015*	12"
64025*	18"
64035*	24"
64045*	30"
64055*	36"
64065*	48"
64075*	60"
64085*	72"

AJAX TOOLS

Drill Steel Tools
Drill Rods
"H" Thread

Mfg Part#	Length
<i>"H" Thread 7/8" x 4-1/4" Shank</i>	
64210*	12"
64220*	18"
64230*	24"
64240*	30"
64250*	36"
64260*	48"
64270*	60"
64280*	72"
64290*	96"
64300*	120"

AJAX TOOLS

Drill Steel Tools
Drill Rods

Mfg Part#	Length
<i>"H" Thread 1" x 4-1/4" Shank</i>	
64410*	12"
64420*	18"
64430*	24"
64440*	30"
64450*	36"
64460*	48"
64470*	60"
64480*	72"
64490*	96"
64500*	120"

AJAX TOOLS

Drill Steel Tools
Drill Rods
11° Tapered



Mfg Part#	Length
<i>7/8" x 3-1/4" Shank</i>	
64110*	12"
64120*	18"
64130*	24"
64140*	30"
64150*	36"
64160*	48"
64170*	60"
64180*	72"
64190*	96"
64200*	120"

AJAX TOOLS

Drill Steel Tools
Drill Rods
11° Tapered

Mfg Part#	Length
<i>7/8" x 4-1/4" Shank</i>	
64310*	12"
64320*	18"
64330*	24"
64340*	30"
64350*	36"
64360*	48"
64370*	60"
64380*	72"
64390*	96"
64400*	120"

AJAX TOOLS

Drill Steel Tools
Drill Rods
11° Tapered

Mfg Part#	Length
<i>1" X 4-1/4" Shank</i>	
64510*	12"
64520*	18"
64530*	24"
64540*	30"
64550*	36"
64560*	48"
64570*	60"
64580*	72"
64590*	96"
64600*	120"



Local: 972-247-8871

AJAX TOOLS
Drill Steel Tools
Carbide Speed Bits

Mfg Part#	Hole Dia.	Drilling	Length Under Col-lar
<i>7/8" x 4-1/4" Hex Shank</i>			
60350*	5/8"	6"	9"
60360*	5/8"	9"	14"
60370*	5/8"	14"	20"
60380*	3/4"	6"	9"
60390*	3/4"	9"	14"
60400*	3/4"	14"	20"
60410*	3/4"	20"	24"
60420*	3/4"	26"	30"
60430*	7/8"	6"	9"
60440*	7/8"	9"	14"
60450*	7/8"	14"	20"
60460*	7/8"	20"	24"
60470*	7/8"	26"	30"
60480*	1"	6"	9"
60490*	1"	9"	14"
60500*	1"	14"	20"
60510*	1"	20"	24"
60520*	1"	26"	30"
60530*	1-1/8"	9"	14"
60540*	1-1/8"	14"	20"
60550*	1-1/8"	20"	24"
60560*	1-1/8"	26"	30"
60570*	1-1/4"	9"	14"
60580*	1-1/4"	14"	20"
60590*	1-1/4"	20"	24"
60600*	1-1/4"	26"	30"
60610*	1-3/8"	9"	14"
60620*	1-3/8"	14"	20"
60630*	1-3/8"	20"	24"
60640*	1-3/8"	26"	30"
60650*	1-1/2"	9"	14"
60660*	1-1/2"	14"	20"
60670*	1-1/2"	20"	24"
60680*	1-1/2"	26"	30"

AJAX TOOLS
Drill Steel Tools
Carbide Speed Bits



Mfg Part#	Hole Dia.	Drilling	Length Under Col-lar
<i>7/8" x 3-1/4" Hex Shank</i>			
60010*	5/8"	6"	9"
60020*	5/8"	9"	14"
60030*	5/8"	14"	20"
60040*	3/4"	6"	9"
60050*	3/4"	9"	14"
60060*	3/4"	14"	20"
60070*	3/4"	20"	24"
60080*	3/4"	26"	30"
60090*	7/8"	6"	9"
60100*	7/8"	9"	14"
60110*	7/8"	14"	20"
60120*	7/8"	20"	24"
60130*	7/8"	26"	30"
60140*	1"	6"	9"
60150*	1"	9"	14"
60160*	1"	14"	20"
60170*	1"	20"	24"
60180*	1"	26"	30"
60190*	1-1/8"	9"	14"
60200*	1-1/8"	14"	20"
60210*	1-1/8"	20"	24"
60220*	1-1/8"	26"	30"
60230*	1-1/4"	9"	14"
60240*	1-1/4"	14"	20"
60250*	1-1/4"	20"	24"
60260*	1-1/4"	26"	30"
60270*	1-3/8"	9"	14"
60280*	1-3/8"	14"	20"
60290*	1-3/8"	20"	24"
60300*	1-3/8"	26"	30"
60310*	1-1/2"	9"	14"
60320*	1-1/2"	14"	20"
60330*	1-1/2"	20"	24"
60340*	1-1/2"	26"	30"

AJAX TOOLS
Drill Steel Tools
Carbide Speed Bits

Mfg Part#	Hole Dia.	Drilling	Length Under Col-lar
<i>1" x 4-1/4" Hex Shank</i>			
60880*	1-1/8"	9"	14"
60890*	1-1/8"	14"	20"
60900*	1-1/8"	20"	24"
60910*	1-1/8"	26"	30"
60920*	1-1/4"	9"	14"
60930*	1-1/4"	14"	20"
60940*	1-1/4"	20"	24"
60950*	1-1/4"	26"	30"
60960*	1-3/8"	9"	14"
60970*	1-3/8"	14"	20"
60980*	1-3/8"	20"	24"
60990*	1-3/8"	26"	30"
61000*	1-1/2"	9"	14"
61010*	1-1/2"	14"	20"
61020*	1-1/2"	20"	24"
61030*	1-1/2"	26"	30"

AJAX TOOLS
Drill Steel Tools
Roto Hammers - Carbide Utility Bits



Mfg Part#	Bit Dia.	Drilling Depth (in.)	Length (in.)
62005*	1/2"	8"	12"
62010*	5/8"	8"	12"
62020*	5/8"	12"	16"
62030*	5/8"	18"	22"
62040*	3/4"	8"	12"
62050*	3/4"	12"	16"
62060*	3/4"	18"	22"
62070*	7/8"	8"	12"
62080*	7/8"	12"	16"
62090*	7/8"	18"	22"
62100*	1"	8"	12"
62110*	1"	12"	16"
62120*	1"	18"	22"
62130*	1"	24"	28"

Toll-Free: 1-800-462-4983



AJAX TOOLS

Electric Hammer Chisels
Flat Chisel Point



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5805*	12"	-	1.25
5807*	18"	-	1.8
5807-24*	24"	1"	2.5
5803-36*	36"	1"	3.75
5/8" Round Spline Shank			
5005*	12"	-	1.5
5007*	18"	-	2.25
3/4" Hex Demo Shank			
5205*	12"	-	1.5
5207*	18"	-	2.25
SDS Plus Shank			
5701*	10"	1"	0.7
7/8" Hex Hilti Shank			
5601*	12"	-	1.7
1-1/8" Hex Shank			
31100E*	14"	1"	6.5

AJAX TOOLS

Electric Hammer Chisels
Moil Point



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5801*	12"	1"	1.25
5803*	18"	1"	1.8
5803-24*	24"	1"	2.5
5807-36*	36"	-	3.75
5/8" Round Spline Shank			
5001*	12"	1"	1.5
5003*	18"	1"	2.25
3/4" Hex Demo Shank			
5201*	12"	1"	1.5
5203*	18"	1"	2.25
SDS Plus Shank			
5705*	10"	-	0.7
7/8" Hex Hilti Shank			
5605*	12"	-	2.0
5607*	18"	-	3.0
1-1/8" Hex Shank			
31200E*	14"	-	6.5

AJAX TOOLS

Electric Hammer Chisels
Scaling Chisel

Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5808*	12"	1-1/2"	1.25
5809*	12"	2"	1.25
5811*	18"	2"	2.25
5812*	12"	3"	1.5
5/8" Round Spline Shank			
5008*	12"	1-1/2"	1.7
5010*	18"	1-1/2"	2.5
5009*	12"	2"	1.75
5011*	18"	2"	2.5
5012*	12"	3"	2.25
3/4" Hex Demo			
5208*	12"	1-1/2"	1.7
5210*	18"	1-1/2"	2.5
5209*	12"	2"	1.75
5211*	18"	2"	2.5
5212*	12"	3"	2.25
SDS Plus Shank			
5708*	10"	1-1/2"	0.8
7/8" Hex Hilti Shank			
5609*	12"	2"	2.5
1-1/8" Hex Shank			
31300E*	14"	3"	6.5

AJAX TOOLS

Electric Hammer Chisels
Wood Chisels



Mfg Part#	Length	Width	Wt (lbs)
SDS Plus Shank			
5725*	7"	0.393"	0.25
5726*	7"	0.551"	0.25
5727*	7"	0.787"	0.35
5728*	7"	1.023"	0.45
5729*	7"	1.181"	0.55

AJAX TOOLS

Electric Hammer Chisels
Asphalt Cutter



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5820*	15-1/2"	3-1/2"	2.75
3/4" Hex Demo Shank			
5220*	15-1/2"	5"	4.75
1-1/8" Hex Shank			
38400E*	11"	5"	6.5

AJAX TOOLS


Electric Hammer Chisels
Ground Rod Driver



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5817*	10-1/2"	-	2
5/8" Round Spine Shank			
5017*	10-1/2"	2"	2.5
3/4" Hex Demo Shank			
5217*	10-1/2"	2"	2.5

AJAX TOOLS

Electric Hammer Chisels
Floor Scraper



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5822*	25"	6"	5.5
5822-1*	SDS Max		
5822-2*	Flex Blade	6"	
5822-3*	Bolt		
5822-4*	Nut		
5822-5*	Bushing		
5822-6*	Plate		

AJAX TOOLS


Electric Hammer Chisels
Clay Spade



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5816*	15-1/2"	4-1/2"	2.75
5/8" Round Spline Shank			
5016*	15-1/2"	4-1/2"	4.75
3/4" Hex Demo Shank			
5216*	15-1/2"	4-1/2"	4.75
1-1/8" Hex Shank			
39500E*	16"	5-1/2"	9.75

AJAX TOOLS

Electric Hammer Chisels
2pc. Bushing Tool



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5819*	10"	-	2.8
5821*	8" stem	-	1.2
5101*	Head	-	1.6
5/8" Round Spline Shank			
5019*	10"	-	2.5
5021*	Stem only	-	1
5101*	Head only	-	1.5
3/4" Hex Demo Shank			
5219*	10"	-	2.5
5221*	Stem only	-	2.5
5101*	Head only	-	1.5

AJAX TOOLS

Electric Hammer Chisels
Bushing Tool - 1pc.

1pc. Bushing
Tool with 25
Carbide Tips.



Mfg Part#	Length	Wt (lbs)
SDS Max Shank		
5818CB*	9-1/2"	2
5/8" Round Spline Shank		
5018CB*	9-1/2"	2.25
3/4" Hex Demo Shank		
5218CB*	9-1/2"	2.25

AJAX TOOLS

Electric Hammer Chisels
Bushing Tool - 1pc



Mfg Part#	Length	Wt (lbs)
SDS Max Shank		
5818*	9-1/2"	2.5
5/8" Round Spline Shank		
5018*	9-1/2"	2.7
3/4" Hex Demo Shank		
5218*	9-1/2"	2.7

AJAX TOOLS

Electric Hammer Chisels
Seam Tool



Mfg Part#	Length	W	Wt (lbs)
SDS Max Shank			
5815*	15"	1-1/8"	1.5
5/8" Round Spline Shank			
5015*	15"	1-1/8"	1.75
3/4" Hex Demo Shank			
5215*	15"	1-1/8"	1.75
SDS Plus Shank			
5715*	10"	7/8"	0.8

AJAX TOOLS

Electric Hammer Chisels
Slotting Tool



Mfg Part#	Length	Width	Wt (lbs)
SDS Max Shank			
5813*	12"	1-1/8"	1.25
5/8" Round Spline Shank			
5013*	12"	1-1/8"	1.5
3/4" Hex Demo Shank			
5213*	12"	1-1/8"	1.5

AJAX TOOLS

Hand Tools
Hand Cape Chisel

Mfg Part#	No. Stock Size	Overall Length (in.)	Cutting Edge Width (in.)
521*	5/16"	5"	1/8"
522*	3/8"	6"	5/32"
523*	1/2"	6"	3/16"
524*	5/8"	7"	1/4"
525*	3/4"	8"	3/8"
526*	7/8"	9"	1/2"

AJAX TOOLS

Hand Tools
Wood Chisel

Mfg Part#	No. Stock Size	Overall Length (in.)
515*	7/8"	12"

AJAX TOOLS

Hand Tools
Hand Flat Chisel

Mfg Part#	No. Stock Size	Overall Length (in.)	Cutting Edge Width (in.)
501*	5/16"	5"	3/8"
502*	3/8"	6"	1/2"
503*	1/2"	6"	5/8"
504*	5/8"	7"	3/4"
505*	3/4"	6"	7/8"
506*	3/4"	8"	7/8"
507*	3/4"	10"	7/8"
508*	3/4"	12"	7/8"
509*	7/8"	6"	1"
510*	7/8"	9"	1"
511*	7/8"	12"	1"
512*	1"	9"	1-1/8"
513*	1"	12"	1-1/8"
516*	3/4"	8"	1-1/2"
517*	3/4"	10"	1-1/2"
518*	7/8"	9"	2"
519*	1"	12"	2"

AJAX TOOLS

Hand Tools
Hand Round Nose Chisel

Mfg Part#	No. Stock Size	Overall Length (in.)	Cutting Edge Width (in.)
531*	5/16"	5"	1/8"
532*	3/8"	6"	5/32"
533*	1/2"	6"	3/16"
534*	5/8"	7"	1/4"
535*	3/4"	8"	3/8"
536*	7/8"	9"	1/2"

AJAX TOOLS

Hand Tools
Hand Diamond Point

Mfg Part#	No. Stock Size	Overall Length (in.)	Cutting Edge Width (in.)
541*	5/16"	5"	1/8"
542*	3/8"	6"	5/32"
543*	1/2"	6"	3/16"
544*	5/8"	7"	1/4"
545*	3/4"	8"	3/8"
546*	7/8"	9"	1/2"

Toll-Free: 1-800-462-4983



AJAX TOOLS

Hand Tools
Center Punch

Mfg Part#	No. Stock Size	Overall Length (in.)
561*	3/8"	6"
562*	1/2"	6"
563*	5/8"	6"
564*	3/4"	6"
565*	7/8"	6"

AJAX TOOLS

Hand Tools
Hand Pin Punch

Mfg Part#	No. Stock Size	Overall Length (in.)	Point Dia. (in.)
580*	5/16"	4-3/4"	3/32"
581*	5/16"	5"	1/8"
582*	5/16"	5-1/4"	5/32"
583*	5/16"	5-1/2"	3/16"
584*	3/8"	7"	1/4"
585*	1/2"	7"	5/16"

AJAX TOOLS

Hand Tools
Long Taper Punch

Mfg Part#	No. Stock Size	Overall Length (in.)	Point Dia. (in.)
586*	3/8"	7-1/2"	3/32"
587*	3/8"	8"	1/8"
588*	1/2"	8-1/2"	5/32"
589*	1/2"	9"	3/16"
590*	5/8"	11"	1/4"
591*	5/8"	11"	5/16"

AJAX TOOLS

Hand Tools
Prick Punch

Mfg Part#	No. Stock Size	Overall Length (in.)
592*	3/8"	5"

AJAX TOOLS

Hand Tools
Solid Punch

Mfg Part#	No. Stock Size	Overall Length (in.)	Point Dia. (in.)
570*	5/16"	6"	3/32"
571*	3/8"	6"	1/8"
572*	1/2"	6"	3/16"
573*	5/8"	7"	1/4"

AJAX TOOLS

Paving Breaker Tools
Concrete Breaker

Breaking up concrete after first drilling a hole



Mfg Part#	Wt (lbs)
<i>7/8" x 3 1/4"</i>	
117001*	8 3/4
<i>1" x 4 1/4"</i>	
21700*	9 3/4
<i>1 1/8" x 6"</i>	
31700*	10 3/4
<i>1 1/4" x 6"</i>	
41700*	11 1/4

AJAX TOOLS

Paving Breaker Tools
Digging Chisel

3" x 10" Deeper penetration in hardpan, gravel and similar materials



Mfg Part#	Wt (lbs)
<i>7/8" x 3 1/4"</i>	
11080*	6 1/2
<i>1" x 3 1/4"</i>	
21080*	7
<i>1 1/8" x 6"</i>	
31080*	8 1/2
<i>1 1/4" x 6"</i>	
41080*	10 1/4

AJAX TOOLS

Paving Breaker Tools
Standard Narrow Chisel
General concrete demolition

Mfg Part#	Length	Wt (lbs)
<i>7/8" x 3 1/4"</i>		
11100*	14"	3 1/4
12100*	18"	4
13100*	24"	4 3/4
14100*	36"	6 1/4
<i>1" x 4 1/4"</i>		
21100*	14"	4 3/4
22100*	18"	5 1/4
23100*	24"	6 3/4
24100*	36"	8 3/4
25100*	48"	13
26100*	60"	15 1/2
27100*	72"	19
<i>1 1/8" x 6"</i>		
31100*	14"	6
32100*	18"	7 1/4
33100*	24"	9
34100*	36"	12 1/2
35100*	48"	16
36100*	60"	20
37100*	72"	24
<i>1 1/4" x 6"</i>		
41100*	14"	7 1/4
42100*	18"	9
43100*	24"	11
44100*	36"	15 3/4
45100*	48"	20 1/4
46100*	60"	24 3/4
47100*	72"	30

AJAX TOOLS

Paving Breaker Tools
Asphalt Cutter

5" x 6" Cutting asphalt, hardpan and compacted soil



Mfg Part#	Length	Wt (lbs)
<i>7/8" x 3 1/4"</i>		
18400*	-	6 1/2
<i>1" x 4 1/4"</i>		
28400*	-	6 1/2
<i>1 1/8" x 6"</i>		
38400*	-	6 1/2
<i>1 1/4" x 6"</i>		
48400*	-	8 1/4

AJAX TOOLS

Paving Breaker Tools
Standard 3" Wide Chisel


Cutting pavement overlay, general concrete demolition

Mfg Part#	Length	Wt (lbs)
7/8" x 3 1/4"		
11300*	14"	3 1/2
12300*	18"	4 1/4
13300*	24"	5 1/2
14300*	36"	8
1" x 4 1/4"		
21300*	14"	5
22300*	18"	6
23300*	24"	7 1/2
24300*	36"	10 1/2
25300*	48"	13 1/2
26300*	60"	17
27300*	72"	19 1/4
1 1/8" x 6"		
31300*	14"	6 3/4
32300*	18"	8
33300*	24"	9 1/2
34300*	36"	12 3/4
35300*	48"	17
36300*	60"	20 3/4
1 1/4" x 6"		
41300*	14"	8
42300*	18"	9 1/2
43300*	24"	11 1/2
44300*	36"	16 1/4
45300*	48"	20 3/4
46300*	60"	25 1/4
47300*	72"	30
37300*	72"	24 1/2

AJAX TOOLS

Paving Breaker Tools
Small Asphalt Cutter

4-1/2" x 3" Cutting
asphalt, hardpan and
compacted soil



Mfg Part#	Length	Wt (lbs)
7/8" x 3 1/4"		
10011*	-	6 1/2
1" x 4 1/4"		
20011*	-	7 3/4
1 1/8" x 6"		
30011*	-	7 3/4
1 1/4" x 6"		
40011*	-	7 3/4

AJAX TOOLS

Paving Breaker Tools
Ground Rod Driver

Driving electrical
grounding rods
into the soil




Mfg Part#	Hole Size (in.)	Rod Size (in.)
1" x 4 1/4"		
21758*	3/4"	5/8"
21734*	7/8"	3/4"
21778*	1"	7/8"
21701*	1 1/8"	1"
1 1/8" x 6"		
31758*	3/4"	5/8"
31734*	7/8"	3/4"
31778*	1"	7/8"
31701*	1 1/8"	1"
1 1/4" x 6"		
41758*	3/4"	5/8"
41734*	7/8"	3/4"
41778*	1"	7/8"
41701*	1 1/8"	1"

AJAX TOOLS

Paving Breaker Tools
Clay Spade

4-1/2" x 6-1/2" Clay and
other rock-free soil



Mfg Part#	Length	Wt (lbs)
7/8" x 3 1/4"		
19500*	-	7 1/4
1" x 4 1/4"		
29500*	-	8 1/4
29501*	-	7 1/2
1 1/8" x 6"		
39500*	-	7 3/4
39501*	-	9
1 1/4" x 6"		
49500*	-	10
49501*	-	9 3/4

AJAX TOOLS

Paving Breaker Tools
Standard Moil Point

General concrete demolition

Mfg Part#	Length	Wt (lbs)
7/8" x 3 1/4"		
11200*	14"	3 1/4
12200*	18"	4
13200*	24"	4 3/4
14200*	36"	6 1/4
1" x 4 1/4"		
21200*	14"	4 3/4
22200*	18"	5 1/4
23200*	24"	9
24200*	36"	12 1/2
25200*	48"	16
26200*	60"	20
27200*	72"	24
1 1/8" x 6"		
31200*	14"	6
32200*	18"	7 1/4
33200*	24"	9
34200*	36"	12 1/2
35200*	48"	16
36200*	60"	20
37200*	72"	24
1 1/4" x 6"		
41200*	14"	7 1/4
42200*	18"	9
43200*	24"	11
44200*	36"	15 3/4
45200*	48"	20 1/4
46200*	60"	24 3/4
47200*	72"	30

AJAX TOOLS

Paving Breaker Tools
Long Spade 3 Edged

5" x 9" Clay and other
rock-free soil




Mfg Part#	Wt (lbs)
7/8" x 3 1/4"	
18401*	9 1/4
1" x 4 1/4"	
28401*	10
1 1/8" x 6"	
38401*	10 1/2
1 1/4" x 6"	
48401*	10 1/2

Toll-Free: 1-800-462-4983

AJAX TOOLS

Paving Breaker Tools
Bushings Tool

2" x 2" Roughing up or surface removal of concrete



Mfg Part#	Wt (lbs)
7/8" x 3 1/4"	
10010*	6 1/4
1" x 4 1/4"	
20010*	6 1/4
1 1/8" x 6"	
30010*	8 1/4
1 1/4" x 6"	
40010*	8 1/4

AJAX TOOLS

Paving Breaker Tools
Asphalt Wedge

1" x 3" Splitting apart asphalt



Mfg Part#	Wt (lbs)
1" x 4 1/4"	
21140*	6 1/2
1 1/8" x 6"	
31140*	8
1 1/4" x 6"	
41140*	8 3/4

AJAX TOOLS

Paving Breaker Tools
Concrete Wedge

1" x 3" Splitting apart concrete



Mfg Part#	Wt (lbs)
1" x 4 1/4"	
21130*	6
1 1/8" x 6"	
31130*	7
1 1/4" x 6"	
41130*	8 1/4

AJAX TOOLS

Paving Breaker Tools
Frost Wedge

1-7/8" x 12" Breaking up frozen ground



Mfg Part#	Wt (lbs)
7/8" x 3 1/4"	
11060*	8 1/2
1" x 4 1/4"	
21060*	9
1 1/8" x 6"	
31060*	13
1 1/4" x 6"	
41060*	13

AJAX TOOLS

Rigger Tools
Chisel Bars

Extra long heavy duty chisels. One end forged to chisel point - other end with chisel head for striking.



Mfg Part#	Stock Size	Overall	Wt (lbs)
695*	5/8" Hex	18"	1.5
696*	3/4" Hex	24"	3
697*	7/8" Hex	30"	5.25
698*	1" Hex	36"	8.5

AJAX TOOLS

Rigger Tools
Connecting Bar - Straight Fit Up Bar

Same as lining Bar: one end tapered, chisel point on other end. No offset.



Mfg Part#	Stock Size	Overall	Wt (lbs)
685*	3/4" Hex	24"	2.75
693*	3/4" Hex	30-1/2"	4
668*	7/8" Hex	30"	4.75
669*	7/8" Hex	36"	5.75
670*	1"	36"	8

AJAX TOOLS

Rigger Tools
Digging Bars



Mfg Part#	Stock Size	Overall	Wt (lbs)
676*	1"	60"	14.5
677*	1"	72"	17.5

AJAX TOOLS

Rigger Tools
Fit Up Bars - Goose Neck

One end tapered - other end with chisel point and goose neck offset.



Mfg Part#	Stock Size	Overall	Wt (lbs)
660*	7/8" Hex	30"	5
686*	7/8" Hex	48"	8.5
687*	1" Hex	48"	10.75

AJAX TOOLS

Rigger Tools
Lining Bars - Offset Pinch or Jimmy Bar

One end tapered for lining holes, etc. - other end with chisel end and slight offset. For extra leverage in positioning steel members.



Mfg Part#	Stock Size	Overall	Wt (lbs)
666*	5/8" Hex	15"	1.25
667*	3/4" Hex	20"	2.5
683*	7/8" Hex	30"	4.75
684*	1" Hex	36"	8

AJAX TOOLS

Rigger Tools
Pinch Bars



Mfg Part#	Stock Size	Overall	Wt (lbs)
680*	3/4" Hex	24"	3
681*	3/4" Hex	30"	3.75
682*	7/8" Hex	36"	6

AJAX TOOLS

Rigger Tools
Crowbar Pinch Point



Mfg Part#	Stock Size	Overall	Wt (lbs)
9160P*	1-1/4" sq.	60"	18

AJAX TOOLS

Rigger Tools
Pry Bars

Forged from the finest alloy steel and tempered for tough applications.



Mfg Part#	Stock Size	Overall	Wt (lbs)
9118*	21/32"	18"	1.5
9124*	3/4"	24"	2.5
9130*	7/8"	30"	4.5
9146*	7/8"	46"	7.25
9154*	1-1/16"	54"	12.75

AJAX TOOLS

Rigger Tools
Pry Bars - Nickel Chrome Plated

Forged from the finest alloy steel and Nickel Chrome Plated.



Mfg Part#	Stock Size	Overall	Wt (lbs)
9118-PL*	21/32"	18"	1.5
9124-PL*	3/4"	24"	2.5
9130-PL*	7/8"	30"	4.5

AJAX TOOLS

Rigger Tools
Pry Bar Scraper

Excellent leverage from offset blade. Ideal for lifting old tile, moldings, scraping paint and hardened adhesives. Comes with plastic grip.



Mfg Part#	Stock Size	Overall	Wt (lbs)
692*	2-3/16"	16-3/4"	1.5

AJAX TOOLS

Rigger Tools
Pry Bars with Handles

Mfg Part#	Stock Size	Overall	Blade Width (in)
675-7*	3/8"	12"	5/8"
675-12*	3/8"	17"	5/8"
675-18*	1/2"	25"	11/16"
675-24*	1/2"	31"	11/16"
675-28*	5/8"	36"	7/8"

AJAX TOOLS

Rigger Tools
Utility Bar Goose Neck/Pinch Point

Nickel Chrome Plated.



Mfg Part#	Stock Size	Overall	Wt (lbs)
678-PL*	7/8"	36"	9
679-PL*	1"	48"	12

AJAX TOOLS

Rigger Tools
Crowbar Wedge Point



Mfg Part#	Stock Size	Overall	Wt (lbs)
9160W*	1-1/4" sq.	60"	18

AJAX TOOLS

Rigger Tools
Barrel Drift Pin



Mfg Part#	Std. Dia. (in)	Over-all	Length of Taper	Point	Wt (lbs)
611*	7/16" (11mm)	6" (152m)	2" (51mm)	3/16" (5mm)	1/4
612*	9/16" (14mm)	6" (152m)	2" (51mm)	1/4" (6mm)	1/3
613*	11/16" (17mm)	6" (152m)	2" (51mm)	5/16" (8mm)	1/2
633*	11/16" (17mm)	7-1/2" (201m)	2" (51mm)	5/16" (8mm)	5/8
614*	13/16" (21mm)	6" (152m)	2" (51mm)	7/16" (11mm)	3/4
634*	13/16" (21mm)	8" (203m)	2-1/2" (64mm)	3/8" (13mm)	7/8
615*	15/16" (24mm)	6" (152m)	2" (51mm)	1/2" (14mm)	7/8
635*	15/16" (24mm)	8" (203m)	2-1/2" (64mm)	7/16" (11mm)	1-1/8
636*	1-1/16" (27mm)	8" (203m)	2-1/2" (64mm)	9/16" (14mm)	1-1/2
637*	1-3/16" (30mm)	8" (203m)	2-1/2" (64mm)	3/4" (19mm)	2
638*	1-5/16" (33mm)	8" (203m)	2-1/2" (64mm)	3/4" (19mm)	2-1/3

AJAX TOOLS

Rigger Tools
Long Taper Drift Pin



Mfg Part#	Std. Dia. (in)	Over-all	Length of Taper	Point	Wt (lbs)
642*	9/16" (14mm)	7" (178m)	6" (152m)	1/8" (3mm)	1/3
643*	11/16" (17mm)	7-1/2" (201m)	6-1/2" (165m)	3/16" (5mm)	1/2
644*	13/16" (21mm)	8" (203m)	7" (178m)	3/16" (5mm)	5/8
645*	15/16" (24mm)	8" (203m)	7" (178m)	1/4" (6mm)	7/8
646*	1-1/16" (27mm)	8" (203m)	7" (178m)	5/16" (8mm)	11/8

AJAX TOOLS

Rigger Tools
Single End Drift Pin



Mfg Part#	Std. Dia. (in)	Over-all	Length of Taper	Point	Wt (lbs)
601*	7/16" (11mm)	6" (152m)	2-1/2" (64mm)	3/16" (5mm)	1/4
602*	9/16" (14mm)	6" (152m)	2-3/4" (70mm)	1/4" (6mm)	1/3
603*	11/16" (17mm)	6" (152m)	2-3/4" (70mm)	5/16" (8mm)	1/2
624*	13/16" (21mm)	8" (203m)	3-3/4" (95mm)	5/16" (8mm)	1
625*	15/16" (24mm)	8" (203m)	3-3/4" (95mm)	3/8" (13mm)	1-1/4
626*	1-1/16" (203m)	8" (203m)	3-3/4" (95mm)	1/2" (14mm)	1-5/8

AJAX TOOLS

Rigger Tools
Broad Head Bull Pin



Mfg Part#	Std. Dia. (in)	Over-all	Length of Taper	Point	Wt (lbs)
649*	1-1/16" (27mm)	10" (254m)	8" (203m)	1/4" (6mm)	1-5/8
650*	1-1/4" (32mm)	13" (330m)	10" (254m)	5/16" (8mm)	3

Toll-Free: 1-800-462-4983



AJAX TOOLS

Rigger Tools
Button Head Pin



Mfg Part#	Std. Dia. (in)	Over-all (m)	Length of Taper (267m)	Point (6mm)	Wt (lbs)
648*	1-1/16" (27mm)	13" (330m)	10-5/8" (267m)	1/4" (6mm)	2-1/4

AJAX TOOLS

Rigger Tools
Pull Pin



Mfg Part#	Std. Dia. (in)	Over-all (m)	Length of Taper (267m)	Point (13mm)	Wt (lbs)
651-12*	15/16" (24mm)	12" (305m)	10" (254m)	5/16" (8mm)	1-1/2
652-12*	1-1/16" (27mm)	12" (305m)	10" (254m)	3/8" (13mm)	1-5/8
653-12*	1-3/16" (30mm)	12" (305m)	10-1/2" (267m)	7/16" (11mm)	2
654-12*	1-1/4" (32mm)	12" (305m)	10-1/2" (267m)	7/16" (11mm)	2-1/3
651*	15/16" (24mm)	15" (381m)	10" (254m)	5/16" (8mm)	2
652*	1-1/16" (27mm)	15" (381m)	10" (254m)	3/8" (13mm)	2-1/2
653*	1-3/16" (30mm)	15" (381m)	10-1/2" (267m)	7/16" (11mm)	3
654*	1-1/4" (32mm)	15" (381m)	10-1/2" (267m)	7/16" (11mm)	3-1/4

AJAX TOOLS

Rigger Tools
Roof Pin



Mfg Part#	Std. Dia. (in)	Over-all (m)	Length of Taper (64mm)	Point (3mm)	Wt (lbs)
600-r*	13/32	4" (102m)	2-1/2" (64mm)	1/8" (3mm)	1/8

AJAX TOOLS

Rigger Tools
Welding Pin



Mfg Part#	Std. Dia. (in)	Over-all (m)	Length of Taper (279m)	Point (5mm)	Wt (lbs)
656*	15/16" (24mm)	12" (305m)	11" (279m)	3/16" (5mm)	1-1/8
657*	1-1/16" (27mm)	12" (305m)	11" (279m)	1/4" (6mm)	1-1/2
658*	1-3/16" (30mm)	12" (305m)	11" (279m)	1/4" (6mm)	1-7/8

AJAX TOOLS

Rigger Tools
Cotter Pin Puller

Mfg Part#	Stock Size	Overall	Wt (lbs)
690*	3/4"	12"	1.25
691*	3/4"	11"	1.25

AJAX TOOLS

Rivet Buster Accessories
Bumpers

Mfg Part#	Desc.
215*	Rubber, for Standard Tools
275*	Rubber, for Jumbo Tools
275-PBJ*	Polyester, for Jumbo Tools

AJAX TOOLS

Rivet Buster Accessories
Lock Spring

Mfg Part#
206*

AJAX TOOLS

Rivet Buster Accessories
Lower Sleeves

Lower Sleeve for Jumbo Tools

Mfg Part#
274*



AJAX TOOLS

Rivet Buster Accessories
Lower Sleeves

Mfg Part#	Tool Type
214*	Standard



AJAX TOOLS

Rivet Buster Accessories
Lower Sleeves

Mfg Part#	Tool Type
214-900*	Standard



AJAX TOOLS

Rivet Buster Accessories
Lower Sleeves

Mfg Part#	Tool Type
273*	Jumbo



AJAX TOOLS

Rivet Buster Accessories
Lower Sleeves

Mfg Part#	Tool Type
274-4*	Jumbo



AJAX TOOLS

Rivet Buster Accessories
Retainers

Mfg Part#
205*



AJAX TOOLS

Rivet Buster Accessories
Retainers

Mfg Part#
207*



AJAX TOOLS

Rivet Buster Accessories
Retainers

Mfg Part#
208*



AJAX TOOLS
Rivet Buster Accessories
Retainers

Mfg Part#
209*



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Upper Sleeve for Jumbo Tools

Mfg Part#
272*



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
211*	Standard



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
212*	Standard



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
212-J*	Jumbo



AJAX TOOLS
Rivet Buster Accessories
Accessories

Mfg Part#	Tool Type
213*	Standard



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
262*	Jumbo, Model "V"



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
270*	Jumbo



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
271*	Jumbo



AJAX TOOLS
Rivet Buster Accessories
Upper Sleeves

Mfg Part#	Tool Type
272-4*	Jumbo



AJAX TOOLS
Rivet Buster Tools
Back Out Punch

Mfg Part#	Length	Width	Wt (lbs)
<i>Standard Shank</i>			
223*	9"	3/8"	1.3
224*	9"	1/2"	1.4
225*	9"	5/8"	1.5
226*	9"	3/4"	1.6
227*	9"	7/8"	1.6
228*	9"	1"	1.7
<i>Jumbo Shank</i>			
278*	9 1/2"	3/8"	1.5
279*	9 1/2"	1/2"	1.7
280*	9 1/2"	5/8"	1.8
281*	9 1/2"	3/4"	1.9
282*	9 1/2"	7/8"	1.9
283*	9 1/2"	1"	2
284*	9 1/2"	1 1/8"	2



AJAX TOOLS
Rivet Buster Tools
Drift Pin

Mfg Part#	Length	Wt (lbs)
<i>Jumbo Shank</i>		
298*	7-1/2"	1.6

AJAX TOOLS
Rivet Buster Tools
Flat Chisels

Mfg Part#	Length	Width	Wt (lbs)
<i>Standard Shank</i>			
221*	9"	7/8"	1.5
221-12*	12"	7/8"	2.1
221-18*	18"	7/8"	3.2
<i>Jumbo Shank</i>			
276*	9-1/2"	15/16"	1.9
276C*	9-1/2"	15/16"	1.9
276-12*	12"	15/16"	2.5
276-12C*	12"	15/16"	2.5
276-18*	18"	15/16"	3.9
276-18C*	18"	15/16"	3.9
276-24*	24"	15/16"	4.6

Note: Jumbo flat chisels marked "C" are carbon steel for concrete.

AJAX TOOLS
Rivet Buster Tools
Flat Side Cut Chisels

Mfg Part#	Length	Width	Wt (lbs)
<i>Standard Shank</i>			
222*	9"	7/8"	1.5
<i>Jumbo Shank</i>			
277*	9-1/2"	15/16"	2

AJAX TOOLS
Rivet Buster Tools
Flat 2" Wide Chisels

Mfg Part#	Length	Width	Wt (lbs)
<i>Jumbo Shank</i>			
276-12-2*	12"	2"	3.25

Toll-Free: 1-800-462-4983

AJAX TOOLS

Rivet Buster Tools
Moil Point Chisels



Mfg Part#	Length	Wt (lbs)
Standard Shank		
245*	9"	1.5
246*	12"	2.1
246-18*	18"	2.5
Jumbo Shank		
296*	10"	2
297*	12"	2.5
297-18*	18"	3.9
297-24*	24"	4.6

AJAX TOOLS

Rivet Buster Tools
Long Clearance Back Out Punch



Mfg Part#	Length	Rivet Size	Clearance	Wt (lbs)
Standard Shank				
231*	9 1/2"	5/8"	4"	1.3
232*	11 1/2"	5/8"	6"	1.4
233*	13 1/2"	5/8"	8"	1.7
234*	9 1/2"	3/4"	4"	1.5
235*	11 1/2"	3/4"	6"	1.7
236*	13 1/2"	3/4"	8"	1.9
237*	9 1/2"	7/8"	4"	1.8
238*	11 1/2"	7/8"	6"	2.1
239*	13 1/2"	7/8"	8"	2.3
Jumbo Shank				
285*	10"	5/8"	4"	1.7
286*	12"	5/8"	6"	1.8
287*	14"	5/8"	8"	1.9
288*	10"	3/4"	4"	1.8
289*	12"	3/4"	6"	2.0
290*	14"	3/4"	8"	2.3
291*	10"	7/8"	4"	2.0
292*	12"	7/8"	6"	2.2
293*	14"	7/8"	8"	2.7

AJAX TOOLS

Rivet Buster Tools
Ripper Chisel

Mfg Part#	Length	Wt (lbs)
Jumbo Shank		
295*	9-1/2"	1.6

AJAX TOOLS

Flange Line Up Pin
(sold in pairs)



Mfg Part#	Length	For Bolt Holes:	Wt (lbs)
879-P*	4-1/2"	5/8", 3/4", 7/8", 1-1/8"	1.75
880-P*	7-1/2"	1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4"	1.75

AJAX TOOLS

Double End Scraper



Mfg Part#	Length	Blade	Wt (lbs)
892*	9"	1-1/4"	.5

AJAX TOOLS

Flange Scraper

NOTE: Pack-aged 25 pcs. per bundle.



Mfg Part#	Length	Blade	Wt (lbs)
891-P*	12"	1-1/4"	6.75

AJAX TOOLS

Banana Wedges



Mfg Part#	Blade	Blade	Blade	Wt (lbs)
876*	13/16"	13/16"	12"	1.5
876-BC*	13/16"	13/16"	12"	1.5

**Beryllium Copper Non-Spark Material*

AJAX TOOLS

Flange Wedges

Slightly concave wedging surfaces for interlocking safety when used in PAIRS.



Mfg Part#	Blade	Blade	Blade	Wt (lbs)
875*	7/8"	7/8"	11"	1.25
875-BC**	7/8"	7/8"	11"	1.25

**Beryllium Copper Non-Spark Material*

AJAX TOOLS

Stock Wedges



Mfg Part#	Height	Width	Length	Weight
881*	1/4"	3/4"	3"	1oz
882*	1/2"	1"	6"	7oz
883*	3/4"	1-1/2"	8"	1lb
884*	1"	1-1/2"	8"	1lb 5oz
885*	1-1/4"	1-1/4"	8"	2lb
886*	1-1/2"	1-1/2"	10"	3lb
887*	1-3/4"	1-3/4"	12"	5lb
888*	2"	2"	12"	7lb

AJAX TOOLS


Weld Flux Scaling Hammer Chisels
Angle Chisel



Mfg Part#	Overall	Width	Wt (lbs)
Ingersoll Rand			
384*	7"	1 3/8"	0.4
384-12*	12"	1 3/8"	0.7
380-3*	18"	1 3/8"	1.2
Chicago Pneumatic			
398*	7"	1 3/8"	0.4
398-12*	12"	1 3/8"	0.7
398-18*	18"	1 3/8"	1.2
Cleco			
394*	7"	1 3/8"	0.4
394-12*	12"	1 3/8"	0.7
394-18*	18"	1 3/8"	1.2
Master Power			
388*	7"	1 3/8"	0.4
388-12*	12"	1 3/8"	0.7
388-18*	18"	1 3/8"	1.2
Atlas Copco			
3253*	7"	1 3/8"	0.4
3253-12*	12"	1 3/8"	0.7

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Heavy Blade Flat (Rounded Point)



Mfg Part#	Overall	Width	Wt (lbs)
Chicago Pneumatic			
3280*	7"	1 1/4"	0.8
3280-12*	12"	1 1/4"	1.1
3280-18*	18"	1 1/4"	1.6

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Blank



Mfg Part#	Overall	Wt (lbs)
<i>Ingersoll Rand</i>		
381*	7"	0.4
381-12*	12"	0.7
381-18*	18"	1.2
<i>Chicago Pneumatic</i>		
395*	7"	0.4
395-12*	12"	0.7
395-18*	18"	1.2
<i>Cleco</i>		
391*	7"	0.4
391-12*	12"	0.7
391-18*	18"	1.2
<i>Master Power</i>		
385*	7"	0.4
385-12*	12"	0.7
385-18*	18"	1.2
<i>Atlas Copco</i>		
3250*	7"	0.4
3250-12*	12"	0.7

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Cape Chisel



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll</i>			
3229*	7"	5/16"	0.4
<i>Chicago Pneumatic</i>			
3226*	7"	5/16"	0.4
<i>Cleco</i>			
3232*	7"	5/16"	0.4

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Diamond Point



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll Rand</i>			
3227*	7"	1/4"	0.4
<i>Chicago Pneumatic</i>			
3224*	7"	1/4"	0.4
<i>Cleco</i>			
3230*	7"	1/4"	0.4

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Flat Chisel



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll Rand</i>			
382*	7"	3/4"	0.4
382-12*	12"	3/4"	0.7
382-18*	18"	3/4"	1.2
<i>Chicago Pneumatic</i>			
396*	7"	3/4"	0.4
396-12*	12"	3/4"	0.7
396-18*	18"	3/4"	1.2
<i>Cleco</i>			
392*	7"	3/4"	0.4
392-12*	12"	3/4"	0.7
392-18*	18"	3/4"	1.2
<i>Master Power</i>			
386*	7"	3/4"	0.4
386-12*	12"	3/4"	0.7
386-18*	18"	3/4"	1.2
<i>Atlas Copco</i>			
3251*	7"	3/4"	0.4
3251-12*	12"	3/4"	0.7
<i>Fuji</i>			
3254*	7"	3/4"	0.4

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Single Blade Panel Cutter



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll Rand</i>			
3221*	7"	-	0.4
<i>Chicago Pneumatic</i>			
3201*	7"	-	0.4
<i>Cleco</i>			
3241*	7"	-	0.4

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Round Nose Chisel



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll</i>			
3229*	7"	5/16"	0.4
<i>Chicago Pneumatic</i>			
3225*	7"	5/16"	0.4
<i>Cleco</i>			
3231*	7"	5/16"	0.4

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Scaling Chisel



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll Rand</i>			
383*	7"	1 3/8"	0.4
383-12*	12"	1 3/8"	0.7
382-18*	18"	1 3/8"	1.2
<i>Chicago Pneumatic</i>			
397*	7"	1 3/8"	0.4
397-12*	12"	1 3/8"	0.7
397-18*	18"	1 3/8"	1.2
<i>Cleco</i>			
393*	7"	1 3/8"	0.4
393-12*	12"	1 3/8"	0.7
393-18*	18"	1 3/8"	1.2
<i>Master Power</i>			
387*	7"	1 3/8"	0.4
387-12*	12"	1 3/8"	0.7
387-18*	18"	1 3/8"	1.2
<i>Atlas Copco</i>			
3252*	7"	1 3/8"	0.4
3252-12*	12"	1 3/8"	0.7

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Wide Scaling Chisel



Mfg Part#	Overall	Width	Wt (lbs)
<i>Ingersoll Rand</i>			
380*	7"	2"	0.5
380-12*	12"	2"	0.8
380-3*	7 1/2"	3"	0.8
<i>Chicago Pneumatic</i>			
399*	7"	2"	0.5
399-12*	12"	2"	0.8
399-3*	7 1/2"	3"	0.8
<i>Cleco</i>			
390*	7"	2"	0.5
390-12*	12"	2"	0.8
390-3*	7 1/2"	3"	0.8
<i>Master Power</i>			
389*	7"	2"	0.5

Toll-Free: 1-800-462-4983

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Long Reach Scaling Chisels
Flex Blades come with 2 ea: Bolt, Washer, Nut

Mfg Part#	Overall	Width
3284*	8-3/4"	4"
3285*	8-3/4"	4"
3286*	8-3/4"	8"
3287*	8-3/4"	12"

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Long Reach Scaling Chisel

Mfg Part#	Overall	Width
3281*	8"	1"

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Long Reach Scaling Chisel

Mfg Part#	Overall	Width
3282*	8"	2"

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Long Reach Scaling Chisel

Mfg Part#	Overall	Width
3283*	8-3/4"	4"

AJAX TOOLS

Weld Flux Scaler Parts & Accessories
Bulk Needles

Mfg Part#	Diam.	Length (in.)	Point Style	Min. Qty.
368*	1/8"	4"	Flat	500
369*	2 mm	7"	Flat	500
376*	1/8"	5"	Flat	500
377*	1/8"	7"	Flat	500
379*	3 mm	7"	Flat	500

AJAX TOOLS

Weld Flux Scaler Parts & Accessories
Individual Needles

Mfg Part#	Diam.	Length (in.)	Point Style
5521*	3 mm	7"	Chisel
5522*	4 mm	7"	Flat
5523*	4 mm	7"	Chisel
5525*	3 mm	7"	Flat (B.C.)

AJAX TOOLS

Weld Flux Scaling Parts & Accessories
Needle Sets

Mfg Part#	Diam.	Length (in.)	Point Style	Qty.
1368*	1/8"	4"	Flat	11
1369*	2 mm	7"	Flat	19
1376*	1/8"	5"	Flat	19
1377*	1/8"	7"	Flat	19
1379*	3 mm	7"	Flat	19
1379-12*	3 mm	7"	Flat	12
1379-23*	3 mm	7"	Flat	23
1379-28*	3 mm	7"	Flat	28

AJAX TOOLS

Weld Flux Scaler Parts & Accessories
Retainers & Drivers

Mfg Part#	Desc.
1301*	Retainer
1302*	Retainer Buffer
1303*	Retainer Clip
371*	Driver / Anvil
373*	Driver / Anvil
374*	Driver / Anvil

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Chisel Set - Ingersoll Rand Style
Shank

Contains: #381 Blank, #382 Wide Chisel, #383 Wide Chisel, #384 Angle Chisel

Mfg Part#
9025*

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Chisel Set - Cleco Style Shank

Contains: #391 Blank, #392 Wide Chisel, #393 Wide Chisel, #394 Angle Chisel

Mfg Part#
9026*

AJAX TOOLS

Weld Flux Scaling Hammer Chisels
Chisel Set Chicago Pneumatic Style
Shan

Contains: #395 Blank, #396 Wide Chisel, #397 Wide Chisel, #398 Angle Chisel

Mfg Part#
9027*

AJAX TOOLS

Zip Gun Chisels
Kwik Change Retainers

Mfg Part#	Tool Type	Type
3300*	0.401	turn or non-turn
3200*	0.498	turn
3700*	0.498	non-turn

AJAX TOOLS

Zip Gun Chisels
Kwik Change Retainer

Mfg Part#	Tool Type	Type
3300-U*	0.401	turn or non

AJAX TOOLS

Zip Gun Chisels
Retaining Springs

Mfg Part#	Desc.
895*	.401 Std. Beehive Spring (CPA 046096)
895-IR*	.401 Std. Beehive Spring (AVC-183)
895-SX*	.401 Std. Beehive Spring (SX# 2207)
898*	.498 Beehive (CPA 047096)
896*	.498 Mech Aid (CPA 047095)
897*	.401 Mech Aid (CPA 046095)
897-IR*	.401 Mech Aid (AVC-183A)
899*	.401 Beehive Spring & Washer (Sioux2208)
900*	.401 Mech Aid (B&D 58616)

AJAX TOOLS

Zip Gun Chisels
Needle Scaler Attachment

Threads onto .401 hammers to make an instant needle scaler. Ideal for paint, rust, weld flux removal and more.

Mfg Part#	Desc.
3500*	
Replacement Parts	
3501**	Body with Insert
3505*	Front Snap Washer
3502*	Driver
375*	Needle Holder
3503*	Spring
1376*	Set of 19 Needles (5")
3504*	Front Bushing
3304*	Set Screws (3)

**Specify Make and Model Hammer*

AJAX TOOLS

Zip Gun Chisels
Impact Wrench Chuck



Mfg Part#	Chuck Size	Drive Size
1012*	1/2"	1/2"
1014*	3/8"	3/8"

AJAX TOOLS

Zip Gun Chisels
Oiler/Midget Oiler



Mfg Part#	Desc.	Capacity	Size
1070*	Metal	9 CCs	1/4" male x 1/4" female
1071*	HI-Plastic	9 CCs	1/4" male x 1/4"

AJAX TOOLS

Zip Gun Chisels
360° Hose Swivel



Mfg Part#	Desc.
1094*	1/4" NPT
1095*	3/8" NPT

AJAX TOOLS

Zip Gun Chisels
Pressure-Feed Pneumatic Tool Lubricators



Mfg Part#	Length	Width	Height	Weight	Pipe Size
1066*	4 1/2"	2 3/8"	2 13/16"	16	1/2" NPT
1067*	6"	2 7/8"	3 3/8"	26	3/4" NPT
1068*	7"	3 3/8"	3 11/16"	34	3/4" NPT
1069*	10"	3 7/8"	4 3/16"	70	1" NPT
1066S G*					Sight Glass Cap
1066-1*					O-Ring

AJAX TOOLS

Zip Gun Chisels
Angle Chisel
Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3112*	0.401	7"	0.50

AJAX TOOLS

Zip Gun Chisels
Single Blade Cutter
Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3104*	0.401	6 1/2"	0.40

AJAX TOOLS

Zip Gun Chisels
Claw Ripper/Edging Tool
Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3105*	0.401	7"	0.40

AJAX TOOLS

Zip Gun Chisels
Diamond Point
Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3111*	0.401	7 1/2"	0.50

AJAX TOOLS

Zip Gun Chisels
Flat Chisel
Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3102*	0.401	7 1/2"	0.50
3182*	0498	7 1/2"	0.60
3102-18*	0.401	18"	1.40
3182-18*	0498	18"	1.40

Toll-Free: 1-800-462-4983

AJAX TOOLS

Zip Gun Chisels
Double Blade Panel Cutter

Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3109*	0.401	6 3/4"	0.40
3189*	0.498	9"	0.70

AJAX TOOLS

Zip Gun Chisels
Piercing Punch

Non-Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
3108-6*	0.401	5 1/2"	0.30
3108-8*	0.401	5 1/2"	0.30
3108-10*	0.401	5 1/2"	0.30

AJAX TOOLS

Zip Gun Chisels
Rivet Cutter

Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3103*	0.401	7 1/2"	0.50
3183*	0.498	7"	0.50

AJAX TOOLS

Zip Gun Chisels
Straight Punch

Non-Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
3101*	0.401	7"	0.50

AJAX TOOLS

Zip Gun Chisels
Tail Pipe Cutter

Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3114*	0.401	7 1/2"	0.50
3180*	0.498	9"	0.60

AJAX TOOLS

Zip Gun Chisels
Tapered Punch

Non-Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
3110*	0.401	7"	0.40

AJAX TOOLS

Zip Gun Chisels
Wide Chisel & Scraper

Non-Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
3106*	0.401	7"	0.55
3185*	0.498	7"	0.55

AJAX TOOLS

Zip Gun Chisels
9pc. Chisel Set

Nine piece master set to handle the wide range of the professional's pneumatic chisel requirements.
Contents: #905 Wide Chisel & Scraper; #906 Bushing Splitter; #907 Claw Ripper/Edging Tool; #908 Muffler Cutter; #909 Double Blade Panel Cutter; #910 Flat Chisel; #911 Tapered Punch; #912 Rivet Cutter; #932 Kwik Cutter

Mfg Part#
9029*

AJAX TOOLS

Zip Gun Chisels
4pc. Chisel Set

Four piece primary set of pneumatic chisels to fill the most basic needs.
Contents: #906 Bushing Splitter, #908 Muffler Cutter, #910 Flat Chisel, #912 Rivet Cutter

Mfg Part#	Contents	Length	Wt (lbs)
9024*			

AJAX TOOLS

Zip Gun Chisels
4pc. Chisel Set

Four piece chisel set set for the body specialist.
Contents: #902 Tail Pipe Cutter; #907 Claw Ripper/Edging Tool; #909 Double Blade Panel Cutter; #914 Spot Weld Breaker

Mfg Part#
9044*

AJAX TOOLS

Zip Gun Chisels
4pc. Chisel Set

Four-piece set of the essential exhaust system chisels.
Contents: #908 Muffler Cutter; #932 Kwik Cutter; #933 Inside Muffler Cutter; #934 Outside Muffler Cutter

Mfg Part#
9034*

AJAX TOOLS


Zip Gun Chisels
Adapter Extension for 1125 & 1127



Mfg Part#	Pilot	Length	Wt (lbs)
1128*	1/2"	5"	0.70

AJAX TOOLS

Zip Gun Chisels
Bushing Driver
Turn Type



Mfg Part#	Shank Type	Pilot	Length	Wt (lbs)
1126*	0.401	1/2"	5 1/2"	0.35
1127*	0.401	1/2"	5 1/2"	0.35

AJAX TOOLS

Zip Gun Chisels
Hand Held Fork
Turn Type



Mfg Part#	Size	Length	Wt (lbs)
528*	3/4"	12"	1.50
529*	1"	12"	1.50

AJAX TOOLS

Zip Gun Chisels
Freeze Plug Installation Sets

Turn Type



Mfg Part#	Desc.	Wt (lbs)
1160*	Plug Set	1.40
1161*	14" OAL.	0.70
1161-22*	22" OAL.	1.10
1162-1*	Fits 1" & 1 3/8"	0.15
1162-2*	Fits 1 25/64" & 1 5/8"	0.20
1162-3*	Fits 1 3/4" & 2 1/16"	0.30

AJAX TOOLS

Zip Gun Chisels
Panel Crimper

Turn Type




Mfg Part#	Length	Wt (lbs)
944*	7"	1.75

AJAX TOOLS

Zip Gun Chisels
Roll Pin Drivers

Turn Type



Mfg Part#	Roll Pin #	Length	Wt (lbs)
1102*	8	7 1/2"	0.20
1103*	9	7 1/2"	0.25
1104*	10	7 1/2"	0.30
1105*	12	7 1/2"	0.40
1106*	8, 9, 10, 12	7 1/2"	-

AJAX TOOLS

Zip Gun Chisels
Hinge Pin Drivers

Turn Type



Mfg Part#	Desc.	Length	Wt (lbs)
1110*	Set of 2	7 3/8"	0.70
1111*	0.237 dia.	7 3/8"	0.30
1112*	0.302 dia.	7 3/8"	0.30

AJAX TOOLS

Zip Gun Chisels
Rivet Sets

Turn Type



Mfg Part#	Shank Type	Head	Wt (lbs)
1604*	3/16"	Round	0.30
1605*	1/4"	Round	0.30
1606*	5/16"	Round	0.30
1610*	3/16"	Mod. Braz.	0.30
1611*	1/4"	Mod. Braz.	0.30
1612*	5/16"	Mod. Braz.	0.30
1620*	3/16"	Brazier	0.30
1621*	1/4"	Brazier	0.30
1622*	5/16"	Brazier	0.30
1636*	3/16"	Universal	0.30
1637*	1/4"	Universal	0.30
1638*	5/16"	Universal	0.30

AJAX TOOLS

Zip Gun Chisels
Smoothing Hammers

Turn Type



Mfg Part#	Shank Type	Length	Wt (lbs)
1600*	0.498	3"	0.30
1601*	0.498	3 1/4"	0.40
1602*	0.401	3"	0.20
1603*	0.401	3 1/4"	0.40

AJAX TOOLS

Zip Gun Chisels
Square Drive Socket Adaptors

Turn Type




Mfg Part#	Shank Type	Pilot	Length	Wt (lbs)
1129*	0.401	3/8"	5"	0.50
1130*	0.401	1/2"	5 1/2"	0.60

AJAX TOOLS

Zip Gun Chisels
Angle Chisel

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
922*	0.401	6 3/4"	0.35

AJAX TOOLS

Zip Gun Chisels
Valve Guide Drivers

Turn Type



Mfg Part#	Body	Pilot	Length	Wt (lbs)
1121*	0.420"	1/4"	7 1/2"	0.30
1122*	0.420"	5/16"	7 1/2"	0.30
1123*	0.480"	11/32"	7 1/2"	0.40
1124*	0.480"	3/8"	7 1/2"	0.40
1125*	0.480"	7/16"	7 1/2"	0.50

AJAX TOOLS

Zip Gun Chisels
Single Blade Cutter

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
923*	0.401	5 3/4"	0.30

AJAX TOOLS

Zip Gun Chisels
Bushing Remover Chisel

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
904*	0.401	6 1/4"	0.30

AJAX TOOLS

Zip Gun Chisels
Bushing Splitter

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
906*	0.401	6 1/4"	0.30
964*	0.498	7"	0.50

AJAX TOOLS

Zip Gun Chisels
Offset Bushing Splitter

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
921*	0.401	8 3/8"	0.40

Toll-Free: 1-800-462-4983

AJAX TOOLS

Zip Gun Chisels
Claw Ripper/Edging Tool

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
907*	0.401	5 3/8"	0.30

AJAX TOOLS

Zip Gun Chisels
Flat Chisel

Turn Type



Mfg Part#	Shank Type	Blade	Overall	Wt (lbs)
910*	0.401	3/4"	6 1/2"	0.35
910-1/2*	0.401	1/2"	6 1/2"	0.30
910-5/8*	0.401	5/8"	6"	0.30
910-11*	0.401	3/4"	11"	0.60
910-18*	0.401	3/4"	18"	1.00
960*	0.498	5/8"	7"	0.50
960-12*	0.498	5/8"	12"	1.00
960-18*	0.498	5/8"	18"	1.60

AJAX TOOLS

Zip Gun Chisels
Flat Chisel Offset 30°

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
919*	0.401	10 1/2"	0.55

AJAX TOOLS

Zip Gun Chisels
Fork Chisel


Turn Type

Mfg Part#	Shank Type	Overall	Wt (lbs)	Size
903-5/8*	0.401	7 1/4"	0.70	5/8"
903-3/4*	0.401	7 1/4"	0.70	3/4"
903-1*	0.401	7 1/4"	0.70	1"
968*	0.498	7 1/4"	0.95	1 1/4"
968-1*	0.498	7 1/4"	0.75	1"

AJAX TOOLS

Zip Gun Chisels
Hammer-1" Dia.

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
945*	0.401	4 1/4"	0.30
945-7*	0.401	7"	0.45
967*	0.498	4 1/4"	0.40

AJAX TOOLS

Zip Gun Chisels
Kwik Cutter

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
932*	0.401	8 1/2"	0.40

AJAX TOOLS

Zip Gun Chisels
Moil Point

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
940*	0.401	7"	0.35

AJAX TOOLS

Zip Gun Chisels
Muffler & Pipe Cutter

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
930*	0.401	7 1/2"	0.30

AJAX TOOLS

Zip Gun Chisels
Muffler Cutter

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
908*	0.401	7 1/2"	0.40

AJAX TOOLS

Zip Gun Chisels
Muffler Cutters

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
933*	0.401	8 1/2"	0.40
934*	0.401	8 1/2"	0.40

AJAX TOOLS

Zip Gun Chisels
Nut Splitter

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
1100*	0.401	10"	0.50
1100-18*	0.401	18"	1.00
1101*	0.401	10"	0.50
1101-18*	0.401	18"	1.00

AJAX TOOLS

Zip Gun Chisels
Double Blade Panel Cutter

Turn Type




Mfg Part#	Shank Type	Overall	Wt (lbs)
959*	0.498	6 7/8"	0.50
909*	0.401	7 1/2"	0.30

AJAX TOOLS

Zip Gun Chisels
Pencil Point

Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
925*	0.401	6 1/2"	0.30
925-18*	0.401	18"	1.00

AJAX TOOLS

Zip Gun Chisels
Piercing Punch

Turn Type

Mfg Part#	Shank Type	Size	Overall	Wt (lbs)
	0.401	#6	5 1/2"	0.30
	0.401	#8	5 1/2"	0.30
	0.401	#10	5 1/2"	0.30

AJAX TOOLS

Zip Gun Chisels
Rivet Cutter
Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
912*	0.401	5 3/4"	0.30
962*	0.498	5 3/4"	0.40

AJAX TOOLS

Zip Gun Chisels
Undercoat Scraper
Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
951*	0.401	6 1/2"	0.35

AJAX TOOLS

Zip Gun Chisels
Vee Chisel/Spot Weld Breaker
Turn Type

Mfg Part#	Shank Type	Overall	Wt (lbs)
914*	0.401	6 1/4"	0.30

AJAX TOOLS

Zip Gun Chisels
Straight Punch
Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
913*	0.401	6 1/2"	0.30
913-18*	0.401	18"	1.00
963*	0.498	7"	0.55
963-18*	0.498	18"	1.60

AJAX TOOLS

Zip Gun Chisels
Tail Pipe Cutter
Turn Type

Mfg Part#	Shank Type	Overall	Wt (lbs)
902*	0.401	6 7/8"	0.30

AJAX TOOLS

Zip Gun Chisels
Tapered
Turn Type



Mfg Part#	Shank Type	Overall	Wt (lbs)
911*	0.401	6 1/2"	0.30
961*	0.498	7"	0.45

AJAX TOOLS

Zip Gun Chisels
Universal Joint & Tie Rod Tool
Turn Type

Mfg Part#	Shank Type	Overall	Wt (lbs)
901*	0.401	4 1/4"	0.30
965*	0.498	4 1/4"	0.40

AJAX TOOLS

Zip Gun Chisels
Wide Chisel & Scraper
Turn Type



Mfg Part#	Shank Type	Length of Blade	Overall	Wt (lbs)
905*	0.401	1 5/16"	6 1/4"	0.30
955*	0.498	1 5/16"	7"	0.50

AJAX TOOLS

Zip Gun Chisels
Wide Flat
Turn Type



Mfg Part#	Shank Type	Blade	Overall	Wt (lbs)
910-6 1/2-1 1/2*	0.401	1 1/2"	6 1/2"	0.40
910-11-1 1/2*	0.401	1 1/2"	11"	0.60
910-2*	0.401	2"	7"	0.50
960-1-1/2-2*	0.498	1 1/2"	9"	0.80