



Toll-Free: 1-800-462-4983

**COUGAR PRO** by Wright Tool  
Combination Wrench Sets  
Cougar Pro

- Four sets available – two SAE sets and two Metric sets
- Full-polished, mirror chromeplated finish
- Meet or exceed ASME B107.100 standards for combination wrenches
- Ergonomic handle fits hand comfortably
- 12-point box end with offcorner torque loading for greater strength
- Box-end bend of 15 degrees hand clearance
- Open-end offset 15 degrees with full engagement depth for fastener
- Chamfered and radiused, all edges smooth
- Stamped size easily identifiable on both sides of wrench
- Length engineered for proper leverage for each opening size
- Provided in a denim tool roll with extra stitching for long life



Mfg Part#	Description
E911	11 Pc. Fully Polished SAE (3/8" to 1")
E914	14 Pc. Fully Polished SAE (3/8" to 1-1/4")
M950	11 Pc. Fully Polished Metric (7mm to 19mm)
M958	18 Pc. Fully Polished Metric (7mm to 24mm)

**COUGAR PRO** by Wright Tool  
Reversible-Ratcheting Combination Wrench Sets  
Cougar Pro

- 2 sets available – SAE and Metric
- Meet or exceed ASME B107.66 standards for reversible-ratcheting combination wrenches
- 72 teeth, 5-degree arc swing
- Small head profile
- High torque capacity
- High-alloy steel for durability
- Full-polished, mirror chromeplated finish
- Ergonomic handle fits hand comfortably
- 12-point box end with offcorner torque loading for greater strength
- Box-end bend of 15 degrees hand clearance
- Open-end offset 15 degrees with full engagement depth for fastener
- Chamfered and radiused, all edges smooth
- Stamped size easily identifiable on both sides of wrench
- Length engineered for proper leverage for each opening size
- Provided in a carry rack



Mfg Part#	Description
E8SRCW	8 Pc. Fully Polished SAE (5/16" to 3/4")
M8MRCW	8 Pc. Fully Polished Metric (8mm to 19mm)

**COUGAR PRO** by Wright Tool  
Socket/Ratchet Sets  
Cougar Pro 6 Pt. Std.

1/4" Drive 13-piece Set; SAE

Includes: Ratchet with quick release and oval head, 6" and 10" extensions, spinner with female end

6 pt Standard Socket Sizes: 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"



Mfg Part#  
A21

**COUGAR PRO** by Wright Tool  
Socket/Ratchet Sets  
Cougar Pro 12 Pt. Std.

3/8" Drive 13-piece Set; SAE

Includes: Ratchet with quick release and oval head, 6" and 10" extensions, 5/8" sparkplug socket

12 pt Standard Socket Sizes: 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"



Mfg Part#  
A31

**COUGAR PRO** by Wright Tool  
Socket/Ratchet Sets  
Cougar Pro 12 Pt. Std.

3/8" Drive 21-piece Set; SAE (with standard and deep sockets)

Includes: Ratchet with quick release and oval head, 6" and 10" extensions, 5/8" sparkplug socket

12 pt Standard Socket Sizes: 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"

Deep Socket Sizes: 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"



Mfg Part#  
A34



Local: 972-247-8871

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro 6 Pt. Metric

3/8" Drive 21-piece Set; Metric

Includes:  
Ratchet with quick release and oval head, Flex Handle, 6" and 10" extensions, sparkplug socket

6 pt Metric Socket Sizes: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm



Mfg Part#  
A36

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro 12 Pt. Std.

1/2" Drive 16-piece Set; SAE

Includes:  
Ratchet with quick release and oval head, 6" and 10" extensions

12 pt Standard Socket Sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



Mfg Part#  
A41

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro 6 Pt. Std.

1/2" Drive 16-piece Set; SAE

Includes:  
Ratchet with quick release and oval head, 6" and 10" extensions

6 pt Standard Socket Sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



Mfg Part#  
A42

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro 12 Pt. Metric

1/2" Drive 14-piece Set; Metric

Includes:  
Ratchet with quick release and oval head, 6" and 10" extensions

12 pt Metric Socket Sizes: 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 21mm, 24mm



Mfg Part#  
A46

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro Std. and Metric Sizes

1/4" Drive 46-piece Set

Includes: Ratchet with quick release and oval head, 1-1/2" and 6" extensions, universal joint attachment, two adapters, thumbwheel ratchet

SAE Standard 6 pt Socket Sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"



SAE Deep 6 pt Socket Sizes: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

Metric Standard 6 pt Socket Sizes: 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

Metric Deep 6 pt Socket Sizes: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

Mfg Part#  
A29

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets  
Cougar Pro Std. and Metric Sizes

3/8" Drive 49-piece Set

Includes: Ratchet with quick release and oval head, 3" and 6" extensions, universal joint attachment, thumbwheel ratchet

SAE Standard 6 pt Socket Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"



SAE Deep 6 pt Socket Sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Metric Standard 6 pt Socket Sizes: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

Metric Deep 6 pt Socket Sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

Mfg Part#  
A39



**Toll-Free: 1-800-462-4983**

**COUGAR PRO** by Wright Tool

Socket/Ratchet Sets

Cougar Pro Std. and Metric Sizes

1/2" Drive 47-piece Set

Includes: Push button ratchet with quick release and oval head, 2-1/2" and 6" extensions


SAE Standard 12 pt Socket Sizes: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8"

SAE Deep 12 pt Socket Sizes: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"

Metric Standard 12 pt Socket Sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm

Metric Deep 12 pt Socket Sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

Mfg Part#
A49



**COUGAR PRO** by Wright Tool

Adjustable Wrenches

Cougar Pro Chrome and Black Finish

Available in four sizes: 6", 8", 10", and 12"; and, two coatings: chrome and black. All Cougar Pro adjustable wrenches meet or exceed ASME B107.8 standards for adjustable wrenches.

- Extra-wide opening for greater capacity in each length
- Deeper jaws provide greater fastener contact
- Non-protruding jaw shank despite wider opening
- Ergonomic handle has perfect width and thickness for hand
- Smooth slot for thumb to move worm screw
- Balanced weight distribution
- SAE and metric scales
- 4-thread worm screw provides better contact with movable jaw



Mfg Part#	Length	Finish
E9AC06*	6"	Chrome
E9AC08*	8"	Chrome
E9AC10*	10"	Chrome
E9AC12	12"	Chrome
E9AB06	6"	Black
E9AB08	8"	Black
E9AB10	10"	Black
E9AB12	12"	Black

\* 3-Piece Adjustable Wrench Set Available (Part #E9AC3)

**COUGAR PRO** by Wright Tool

Reversible-Ratcheting Combination Wrenches

Cougar Pro Std. and Metric Sizes

All Cougar Pro Reversible-Ratcheting Combination Wrenches meet or exceed ASME B107.66 standards for reversible-ratcheting combination wrenches.



- 72 teeth
- 5-degree arc swing
- Small head profile
- High torque capacity
- Made with high-alloy steel
- Ergonomic handle fits hand comfortably
- 12-point box end with offcorner torque loading for greater strength
- Open-end offset 15 degrees hand clearance
- Chamfered and radiused, all edges smooth
- Stamped size easily identified on both sides of wrench
- Length engineered for proper leverage for each opening size

Mfg Part#	A Nom. Size	L	C	B	D	E
<b>SAE</b>						
E1510	5/16"	5-3/8"	23/32"	3/8"	13/64"	19/64"
E1512	3/8"	6-1/4"	57/64"	7/16"	7/32"	5/16"
E1514	7/16"	6-9/16"	1"	1/2"	1/4"	5/16"
E1516	1/2"	7-1/16"	1-1/16"	19/32"	9/32"	23/64"
E1518	9/16"	7-7/16"	1-1/4"	41/64"	9/32"	3/8"
E1520	5/8"	8-7/16"	1-3/8"	47/64"	5/16"	25/64"
E1522	11/16"	9-1/8"	1-1/2"	13/16"	5/16"	27/64"
E1524	3/4"	9-3/4"	1-43/64"	7/8"	11/32"	7/16"
<b>Metric</b>						
M1208	8mm	135.4	18.33	9.20	5.20	7.70
M1210	10mm	158.2	22.60	10.92	5.75	8.20
M1212	12mm	173.2	26.74	13.97	6.62	8.87
M1213	13mm	179.1	29.34	15.00	7.00	8.95
M1214	14mm	188.3	31.56	16.50	7.00	9.33
M1215	15mm	198.5	34.20	17.27	7.95	9.37
M1217	17mm	231.3	38.46	20.70	7.95	10.64
M1219	19mm	246.3	42.20	21.95	8.80	11.14




Local: 972-247-8871

**COUGAR PRO** by Wright Tool

Combination Wrenches

Cougar Pro



Fully polished with a mirror chrome-plated finish. Meets or exceeds ASME B107.100 standards for combination wrenches.

- Extra-wide opening for greater capacity in each length
- Deeper jaws provide greater fastener contact
- Non-protruding jaw shank despite wider opening
- Ergonomic handle and balanced weight distribution
- Smooth slot for thumb to move worm screw
- SAE and metric scales with easily identifiable stamped sizes
- 4-thread worm screw provides better contact with movable jaw
- 12-point box end with offcorner torque loading for greater strength
- Box-end has a bend of 15 degrees for hand clearance
- Open-end offset 15 degrees with full engagement depth for fastener
- Chamfered and radiused, all edges smooth
- Length is engineered for proper leverage for each opening size

Mfg Part#	A	Nom. Size	L	C	B	D	E
<b>SAE</b>							
E1212		3/8"	5-5/16"	27/32"	7/16"	13/64"	9/32"
E1214		7/16"	6-5/8"	15/16"	1/2"	7/32"	19/64"
E1216		1/2"	7-1/16"	1-1/16"	19/32"	15/64"	21/64"
E1218		9/16"	7-5/8"	1-13/64"	21/32"	17/64"	11/32"
E1220		5/8"	8-1/8"	1-23/64"	3/4"	19/64"	25/64"
E1222		11/16"	9"	1-31/64"	13/16"	21/64"	27/64"
E1224		3/4"	9-7/8"	1-19/32"	7/8"	23/64"	15/32"
E1226		13/16"	10-11/16"	1-23/32"	31/32"	3/8"	31/64"
E1228		7/8"	11-5/8"	1-51/64"	1-1/64"	3/8"	1/2"
E1230		15/16"	12-7/16"	1-15/16"	1-5/64"	27/64"	9/16"
E1232		1"	13-1/4"	2"	1-9/34"	29/64"	37/64"
E1234		1-1/16"	14-3/16"	2-11/64"	1-15/64"	15/32"	37/64"
E1236		1-1/8"	15-1/2"	2-19/64"	1-11/32"	1/2"	5/8"
E1240		1-1/4"	16-3/4"	2-17/32"	1-15/32"	33/64"	11/16"

Mfg Part#	A	Nom. Size	L	C	B	D	E
<b>Metric</b>							
M1207		7mm	130.0	16.24	8.41	4.50	6.00
M1208		8mm	137.4	18.51	9.65	4.70	6.80
M1209		9mm	150.0	21.07	11.43	4.90	7.00
M1210		10mm	161.5	23.25	12.00	5.40	7.50
M1211		11mm	168.2	23.84	12.45	5.55	7.50
M1212		12mm	174.0	26.05	13.21	6.00	8.20
M1213		13mm	180.6	26.82	14.61	6.50	8.50
M1214		14mm	193.1	30.65	16.87	7.00	8.50
M1215		15mm	200.0	32.44	18.23	7.38	9.15
M1216		16mm	206.6	33.98	18.23	7.86	10.15
M1217		17mm	228.4	37.67	20.83	8.58	10.50
M1218		18mm	240.0	38.57	21.51	9.15	11.00
M1219		19mm	251.3	40.71	23.11	9.20	11.55
M1220		20mm	260.4	42.13	23.11	9.20	12.00
M1221		21mm	271.2	43.67	24.84	9.20	12.00
M1223		22mm	281.4	45.65	24.84	9.20	12.85
M1224		23mm	296.1	45.81	25.40	9.166	12.85

**COUGAR PRO** by Wright Tool

Sockets, Attachments and Extensions

Cougar Pro - Standard



Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size
<b>1/4" 6-pt Std Socket</b>		<b>3/8" 6-pt Std Socket</b>		<b>3/8" 12-pt Std Socket</b>		<b>1/2" 6-pt Std Socket</b>	
E2006	3/16"	E3008	1/4"	E3110	5/16"	E4014	7/16"
E2007	7/32"	E3010	5/16"	E3112	3/8"	E4016	1/2"
E2008	1/4"	E3012	3/8"	E3114	7/16"	E4018	9/16"
E2009	9/32"	E3014	7/16"	E3116	1/2"	E4020	5/8"
E2010	5/16"	E3016	1/2"	E3118	9/16"	E4022	11/16"
E2011	11/32"	E3018	9/16"	E3120	5/8"	E4024	3/4"
E2012	3/8"	E3020	5/8"	E3122	11/16"	E4026	13/16"
E2014	7/16"	E3022	11/16"	E3124	3/4"	E4028	7/8"
E2016	1/2"	E3024	3/4"	E3126	13/16"	E4030	15/16"
E2018	9/16"	E3026	13/16"	E3128	7/8"	E4032	1"
		E3028	7/8"			E4034	1-1/16"
						E4036	1-1/8"
						E4040	1-1/4"

Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size
<b>1/4" 6-pt Deep Socket</b>		<b>3/8" 6-pt Deep Socket</b>		<b>3/8" 12-pt Deep Socket</b>		<b>1/2" 12-pt Deep Socket</b>	
E2508	1/4"	E3512	3/8"	E3612	3/8"	E4616	1/2"
E2509	9/32"	E3514	7/16"	E3614	7/16"	E4618	9/16"
E2510	5/16"	E3516	1/2"	E3616	1/2"	E4620	5/8"
E2511	11/32"	E3518	9/16"	E3618	9/16"	E4622	11/16"
E2512	3/8"	E3520	5/8"	E3620	5/8"	E4624	3/4"
E2514	7/16"	E3522	11/16"	E3622	11/16"	E4626	13/16"
E2516	1/2"	E3524	3/4"	E3624	3/4"	E4628	7/8"
E2518	9/16"	E3526	13/16"	E3626	13/16"	E4630	15/16"
		E3528	7/8"			E4632	1"
						E4634	1-1/16"
						E4636	1-1/8"

Mfg Part#	Description	Mfg Part#	Description
<b>Extensions</b>		<b>Attachments*</b>	
E2402	1/4" Drive; 1-1/2" Long	E*426	Ratchet, Quick Release, Oval Head, Knurled Handle
E2403	1/4" Drive; 3" Long	E*431	Thumbwheel Ratchet (1/4" and 3/8" drive only)
E2406	1/4" Drive; 6" Long	E*475	Universal Joint
E3403	3/8" Drive; 3" Long	E2442	Spinner w/ Female End
E3405	3/8" Drive; 6" Long	E2453	Adaptor 1/4"F x 2/8"M
E4402	1/2" Drive; 2-1/2" Long	E3435	3/8" Drive Flex Handle
E4406	1/2" Drive; 6" Long	E3452	Adaptor 3/8"F x 1/4"M
E4410	1/2" Drive; 10" Long	E3454	Adaptor 3/8"F x 1/2"M
		E3590	Sparkplug Socket 5/8"
		E4435	1/2" Drive Flex Handle
		E4453	Adaptor 1/2"F x 3/8"M

\*Replace asterisk with drive # (2=1/2"; 3=3/8"; 4=1/2")



Toll-Free: 1-800-462-4983



**COUGAR PRO** by Wright Tool

Sockets

Cougar Pro - Metric



Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size
<i>1/4" 6-pt Std Socket</i>		<i>3/8" 6-pt Std Socket</i>		<i>1/2" 12-pt Std Socket</i>	
M2004	4mm	M3006	6mm	M4110	10mm
M2005.5	5.5mm	M3007	7mm	M4111	11mm
M2006	6mm	M3008	8mm	M4112	12mm
M2007	7mm	M3009	9mm	M4113	13mm
M2008	8mm	M3010	10mm	M4114	14mm
M2009	9mm	M3011	11mm	M4115	15mm
M2010	10mm	M3012	12mm	M4116	16mm
M2011	11mm	M3013	13mm	M4117	17mm
M2012	12mm	M3014	14mm	M4118	18mm
M2013	13mm	M3015	15mm	M4119	19mm
M2014	14mm	M3016	16mm	M4120	20mm
		M3017	17mm	M4121	21mm
		M3018	18mm	M4122	22mm
		M3019	19mm	M4123	23mm
		M3020	20mm	M4124	24mm
		M3021	21mm		



Mfg Part#	Nom. Size	Mfg Part#	Nom. Size	Mfg Part#	Nom. Size
<i>1/4" 6-pt Deep Socket</i>		<i>3/8" 6-pt Deep Socket</i>		<i>1/2" 12-pt Deep Socket</i>	
M2506	6mm	M3510	10mm	M4610	10mm
M2507	7mm	M3511	11mm	M4611	11mm
M2508	8mm	M3512	12mm	M4612	12mm
M2509	9mm	M3513	13mm	M4613	13mm
M2510	10mm	M3514	14mm	M4614	14mm
M2511	11mm	M3515	15mm	M4615	15mm
M2512	12mm	M3516	16mm	M4616	16mm
M2513	13mm	M3517	17mm	M4617	17mm
M2514	14mm	M3518	18mm	M4618	18mm
		M3519	19mm	M4619	19mm

