



Toll-Free: 1-800-462-4983

MIGHTY TIE

Cable Ties

Made in the USA

Nylon

Mighty Ties are manufactured to high standards right here in the USA. Natural Nylon 6/6, able to absorb and release moisture, is lightweight and high in strength, provides a wide temperature range and is 100% non-toxic. UV Stabilized Nylon 6/6 offers the same features of natural nylon while protecting against UV light.

Features:

- Continuous operating temperature from 180°F to -40°F
- Tensile Strength 12,000 - AT73F, ASTM D-636
- UL Flame Rating 94V-2
- Gamma Radiation Resistance = 1X10 RADS
- Natural Nylon Military and Federal Specifications:
 - MIL-M-20693A
 - FED-LP-410A
 - ASTM-D 4066PA181
 - FDA CFR 177.1500
- UV Stabilized Nylon Military and Federal Specifications:
 - MIL-M-20693A
 - UL746C
 - ASTM-D 4066PA181
- Mighty Tightly locking mechanism provides maximum holding power.
- Meets many Military and Federal Specifications.



Made in the USA



Mfg Part#	Color	UPC	Dimensions (inches)	Bag Qty	Case Qty	Wt/Case (lbs)
<i>Light Duty – 18 Pound Tensile Strength</i>						
MT4180C	UV Black	87488600011	4.1 x 0.1 x 0.04	100	25,000	16.75
MT4180M	UV Black	87488600087	4.1 x 0.1 x 0.04	1,000	25,000	16
MT4189C	Natural	87488600012	4.1 x 0.1 x 0.04	100	25,000	16.75
MT4189M	Natural	87488600088	4.1 x 0.1 x 0.04	1,000	25,000	16
MT6180C	UV Black	87488600015	6.1 x 0.1 x 0.04	100	25,000	24
MT6180M	UV Black	87488600089	6.1 x 0.1 x 0.04	1,000	25,000	23
MT6189C	Natural	87488600016	6.1 x 0.1 x 0.04	100	25,000	24
MT6189M	Natural	87488600090	6.1 x 0.1 x 0.04	1,000	25,000	23
<i>Medium Duty – 40 Pound Tensile Strength</i>						
MT5400C	UV Black	87488600027	5.7 X 0.14 X 0.05	100	10,000	16
MT5400M	UV Black	87488600091	5.7 X 0.14 X 0.05	1,000	10,000	15.5
MT5409C	Natural	87488600028	5.7 X 0.14 X 0.05	100	10,000	16
MT5409M	Natural	87488600092	5.7 X 0.14 X 0.05	1,000	10,000	15.5
MT8400C	UV Black	87488600023	8.2 X 0.14 X 0.05	100	10,000	24
MT8400M	UV Black	87488600029	8.2 X 0.14 X 0.05	1,000	10,000	23
MT8409C	Natural	87488600024	8.2 X 0.14 X 0.05	100	10,000	24
MT8409M	Natural	87488600087	8.2 X 0.14 X 0.05	1,000	10,000	23
<i>Standard Duty – 50 Pound Tensile Strength</i>						
MT7500C	UV Black	87488600017	8 x 0.19 x 0.05	100	10,000	16.75
MT7500M	UV Black	87488600079	8 x 0.19 x 0.05	1,000	10,000	16
MT7509C	Natural	87488600018	8 x 0.19 x 0.05	100	10,000	16.75
MT7509M	Natural	87488600086	8 x 0.19 x 0.05	1,000	10,000	16
MT11500C	UV Black	87488600001	11.8 x 0.19 x 0.05	100	5,000	24
MT11500M	UV Black	87488600030	11.8 x 0.19 x 0.05	1,000	5,000	23
MT11509C	Natural	87488600002	11.8 x 0.19 x 0.05	100	5,000	24
MT11509M	Natural	87488600084	11.8 x 0.19 x 0.05	1,000	5,000	23
MT14500C	UV Black	87488600005	14.8 x 0.19 x 0.05	100	5,000	25
MT14500M	UV Black	87488600085	14.8 x 0.19 x 0.05	1,000	5,000	25
MT14509C	Natural	87488600006	14.8 x 0.19 x 0.05	100	5,000	25
MT14509M	Natural	87488600093	14.8 x 0.19 x 0.05	1,000	5,000	25





Local: 972-247-8871

Mfg Part#	Color	UPC	Dimensions (inches)	Bag Qty	Case Qty	Wt/Case (lbs)
<i>Light Heavy Duty – 120 Pound Tensile Strength</i>						
MT81200C	UV Black	87488600021	9 x 0.3 x 0.08	100	25,000	21
MT81209C	Natural	87488600022	9 x 0.3 x 0.08	100	25,000	21
MT111200C	UV Black	87488600099	12.1 x 0.3 x 0.08	100	2,000	23
MT111209C	Natural	87488600100	12.1 x 0.3 x 0.08	100	2,000	23
MT141200C	UV Black	87488600003	15 x 0.3 x 0.08	100	25,000	25.5
MT141209C	Natural	87488600004	15 x 0.3 x 0.08	100	25,000	25.5
MT181200L	UV Black	87488600082	18 x 0.31 x 0.08	50	1,000	19.1
MT181209L	Natural	87488600083	18 x 0.31 x 0.08	50	1,000	19.1
<i>Heavy Duty – 175 Pound Tensile Strength</i>						
MT241750L	UV Black	87488600007	25.2 X 0.35 X 0.08	50	500	15
MT241759L	UV Black	87488600008	25.2 X 0.35 X 0.08	50	500	15
MT361750L	Natural	87488600009	36.5 X 0.35 X 0.08	50	500	21.5
MT361759L	Natural	87488600010	36.5 X 0.35 X 0.08	50	500	21.5
MT481750L	UV Black	87488600013	48 X 0.35 X 0.08	50	500	26.5
MT481759L	UV Black	87488600014	48 X 0.35 X 0.08	50	500	26.5



Air Handling

Mfg Part#	Color	UPC	Dimensions (inches)	Tensile Strength	Bag Qty	Case Qty	Wt/Case (lbs)
<i>Meets UL 2043 for use in air handling spaces; generates low smoke and offers low heat release</i>							
MT418AHC	Burgundy	87488600104	4.1 x 0.1 x 0.04	18	100	25,000	16.75
MT750AHC	Burgundy	87488600105	8 x 0.19 x 0.05	50	100	10,000	16.75
MT1150AHC	Burgundy	87488600106	11.8 x 0.19 x 0.05	50	100	5,000	24
MT1450AHC	Burgundy	87488600107	14.8 x 0.19 x 0.05	50	100	5,000	25
MT14120AHC	Burgundy	87488600108	36.5 x 0.35 x 0.08	175	50	500	21.5


Mounting Head Ties



Mfg Part#	Color	UPC	Dimensions (inches)	Bag Qty	Case Qty	Wt/Case (lbs)
MT750MH0C	UV Black	87488600019	8 x 0.19 x 0.05	100	5,000	20
MT750MH9C	Natural	87488600020	8 x 0.19 x 0.05	100	5,000	20
MT1450MH0C	UV Black	87488600081	15 x 0.19 x 0.05	100	5,000	31.25
MT1450MH9C	Natural	87488600080	15 x 0.19 x 0.05	100	5,000	31.25

Adhesive Mounting Pads

Mfg Part#	Color	UPC	Dimensions (inches)	Bag Qty	Case Qty	Wt/Case (lbs)
MT750MPNC	Natural	87488600026	0.75 x 0.75	100	1000	10
MT750MPUVC	Black	87488600095	0.75 x 0.75	100	1000	10
MT1000MPNC	Natural	87488600025	1 x 1	100	1000	10
MT1000MPUVC	Black	87488600094	1 x 1	100	1000	10





Toll-Free: 1-800-462-4983

Mighty Jawz Cable Tie Removal Tools

Mfg Part#	Frame Style	UPC
<i>Removes 18 to 250 lb. ties</i>		
MT1000	Miniature Pointed Nose	87488600096
<i>Removes 18 to 250 lb. ties and lacing cord</i>		
MT1300	Standard Pointed Nose	87488600097
<i>Removes 18 to 250 lb. ties and lacing cord, and strips 10-22 awg wire</i>		
MT1400	Standard Pointed Nose	87488600098



Merchandise and Assortment

40" Wide x 40" Tall

- Hooks for pegboard/slat wall
- Mighty Tie sign
- Assortment of ties

Includes:

Item	Description	Qty
MT4180C	4" UV Black Mighty Tie	12
MT4189C	4" Natural Mighty Tie	12
MT7500C	7" UV Black Mighty Tie	12
MT7509C	7" Natural Mighty Tie	12
MT8400C	8" UV Black Mighty Tie	12
MT8409C	8" Natural Mighty Tie	12
MT11500C	11" UV Black Mighty Tie	8
MT11509C	11" Natural Mighty Tie	8
MT14500C	14" UV Black Mighty Tie	8
MT14509C	14" Natural Mighty Tie	8
MT241750L	24" UV Black Mighty Tie	5
MT241759L	24" Natural Mighty Tie	5





Local: 972-247-8871

Color Ties

Mfg Part#	Color	UPC	Dimensions (inches)	Bag Qty	Case Qty	Wt/Case (lbs)
<i>Light Duty – 18 Pound Tensile Strength</i>						
MT4181C	Brown	87488600031	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4182C	Red	87488600032	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4183C	Orange	87488600033	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4184C	Yellow	87488600034	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4185C	Green	87488600035	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4186C	Blue	87488600036	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4187C	Purple	87488600037	4.1 x 0.1 x 0.04	100	10,000	16.75
MT4188C	Grey	87488600038	4.1 x 0.1 x 0.04	100	10,000	16.75
<i>Medium Duty – 40 Pound Tensile Strength</i>						
MT6401C	Brown	87488600039	5.7 x 0.14 x 0.05	100	10,000	16
MT6402C	Red	87488600040	5.7 x 0.14 x 0.05	100	10,000	16
MT6403C	Orange	87488600041	5.7 x 0.14 x 0.05	100	10,000	16
MT6404C	Yellow	87488600042	5.7 x 0.14 x 0.05	100	10,000	16
MT6405C	Green	87488600043	5.7 x 0.14 x 0.05	100	10,000	16
MT6406C	Blue	87488600044	5.7 x 0.14 x 0.05	100	10,000	16
MT6407C	Purple	87488600045	5.7 x 0.14 x 0.05	100	10,000	16
MT6408C	Grey	87488600046	5.7 x 0.14 x 0.05	100	10,000	16
MT8401C	Brown	87488600047	8.2 x 0.14 x 0.05	100	10,000	24
MT8402C	Red	87488600048	8.2 x 0.14 x 0.05	100	10,000	24
MT8403C	Orange	87488600049	8.2 x 0.14 x 0.05	100	10,000	24
MT8404C	Yellow	87488600050	8.2 x 0.14 x 0.05	100	10,000	24
MT8405C	Green	87488600051	8.2 x 0.14 x 0.05	100	10,000	24
MT8406C	Blue	87488600052	8.2 x 0.14 x 0.05	100	10,000	24
MT8407C	Purple	87488600053	8.2 x 0.14 x 0.05	100	10,000	24
MT8408C	Grey	87488600054	8.2 x 0.14 x 0.05	100	10,000	24
<i>Standard Duty – 50 Pound Tensile Strength</i>						
MT7501C	Brown	87488600055	8 x 0.19 x 0.05	100	10,000	16.75
MT7502C	Red	87488600056	8 x 0.19 x 0.05	100	10,000	16.75
MT7503C	Orange	87488600057	8 x 0.19 x 0.05	100	10,000	16.75
MT7504C	Yellow	87488600058	8 x 0.19 x 0.05	100	10,000	16.75
MT7505C	Green	87488600059	8 x 0.19 x 0.05	100	10,000	16.75
MT7506C	Blue	87488600060	8 x 0.19 x 0.05	100	10,000	16.75
MT7507C	Purple	87488600061	8 x 0.19 x 0.05	100	10,000	16.75
MT7508C	Grey	87488600062	8 x 0.19 x 0.05	100	10,000	16.75
MT11501C	Brown	87488600063	11.8 x 0.19 x 0.05	100	5,000	24
MT11502C	Red	87488600064	11.8 x 0.19 x 0.05	100	5,000	24
MT11503C	Orange	87488600065	11.8 x 0.19 x 0.05	100	5,000	24
MT11504C	Yellow	87488600066	11.8 x 0.19 x 0.05	100	5,000	24
MT11505C	Green	87488600067	11.8 x 0.19 x 0.05	100	5,000	24
MT11506C	Blue	87488600068	11.8 x 0.19 x 0.05	100	5,000	24
MT11507C	Purple	87488600069	11.8 x 0.19 x 0.05	100	5,000	24
MT11508C	Grey	87488600070	11.8 x 0.19 x 0.05	100	5,000	24
MT14501C	Brown	87488600071	14.8 x 0.19 x 0.05	100	5,000	25
MT14502C	Red	87488600072	14.8 x 0.19 x 0.05	100	5,000	25
MT14503C	Orange	87488600073	14.8 x 0.19 x 0.05	100	5,000	25
MT14504C	Yellow	87488600074	14.8 x 0.19 x 0.05	100	5,000	25
MT14505C	Green	87488600075	14.8 x 0.19 x 0.05	100	5,000	25
MT14506C	Blue	87488600076	14.8 x 0.19 x 0.05	100	5,000	25
MT14507C	Purple	87488600077	14.8 x 0.19 x 0.05	100	5,000	25
MT14508C	Grey	87488600078	14.8 x 0.19 x 0.05	100	5,000	25

