

Toll-Free: 1-800-462-4983

SEYMOUR PAINT

STRIPE 3 Series Marking Paint

Fill Weight: 16 oz

A fast drying marking paint designed to be sprayed in an inverted position. Uses a patented technology to cut the environmental impact in half (as compared to a standard solvent based marking paint). Produces vivid marks, does not clog, and is safe for grass. Meets APWA color standards and can be sprayed by hand or with the Z-605 marking gun or Z-606 marking wand.



Suggested Uses:

- Utility marking
- Golf courses
- Landscaping
- Construction sites
- Surveying
- Mining

Mfg Part#	Color	Case Qty
20-352	White	12
20-353	Precaution Blue	12
20-354	Fluorescent Red	12
20-355	Safety Green	12
20-357	Orange Fluorescent	12
20-358	Red/Orange Fluorescent	12
20-363	Black (Asphalt)	12
20-368	Green Fluorescent	12
20-369	Blue Fluorescent	12
20-370	Alert Orange	12
20-371	Safety Red	12
20-376	Hi Viz Yellow	12
20-378	Utility Yellow	12
20-379	Fluorescent Pink	12

SEYMOUR PAINT

Upright Marking Spray

Fill Weight: 17 oz

Water-base formulation designed for all types of overhead applications. Uses include mining operations, bridge and building construction, color coding of piping and HVAC systems.



Mfg Part#	Color
20-1752	White
20-1754	Red Fluorescent
20-1757	Orange Fluorescent
20-1768	Green Fluorescent



SEYMOUR PAINT

MRO INDUSTRIAL ENAMEL

Fill Weight: 15-17 oz

A superior industrial spray paint formulated for maintenance operations where maximum performance is required. This high solids paint does not run or sag, and gives twice the coverage of conventional spray paints. Can be applied to bare metal, but for maximum protection, use our MRO Red Iron Oxide Primer (620-1407) or Light Gray Primer (620-1431). Resists oil, gas, heat, and sunlight.



Suggested Uses:

- Wood and metal
- Home
- Automotive
- Industrial
- Marine
- Construction

Mfg Part#	Color	Case Qty
620-1407	Red Oxide Primer	6
620-1411	Aluminum	6
620-1412	Flat White	6
620-1413	Gloss White	6
620-1415	Gloss Black	6
620-1416	Gray	6
620-1417	Dark Mach Gray	6
620-1418	Light Gray	6
620-1419	Safety Yellow	6
620-1423	Safety Red	6
620-1425	Light Blue	6
620-1426	Deep Blue	6
620-1427	Safety Blue	6
620-1431	Light Gray Primer	6
620-1433	Flat Black	6
620-1435	Tan	6
620-1443	Equipment Yellow	6
620-1446	Ryder Yellow	6
620-1447	Cumming Beige	6
620-1448	Cascade Green	6
620-1449	Dark Green	6
620-1450	Omaha Orange	6
620-1451	Safety Orange	6
620-1452	Safety Green	6

SEYMOUR PAINT

SPRUCE GENERAL USE SPRAY PAINTS

Fill Weight: 12 oz

A top quality spray paint that is economically priced. Spruce provides a tough finish that is durable and inhibits rust. Available in a complete line of high gloss colors, with some available in semi-gloss and flat finishes. Hides well, dries fast, and resists chipping and peeling. For maximum protection, rusted metal surfaces should be wire brushed and primed with the Spruce primers.



Suggested Uses:

- Most types of metal, wood
- and wicker such as:
- Garden equipment
- Filing cabinets
- Desks and Tables

Mfg Part#	Color	Case Qty
98-2	Gloss White	12
98-3	Gloss Black	12
98-4	Gloss Cherry Red	12
98-7	Gloss Smoke Gray	12
98-8	Gloss Hunter Green	12
98-10	Flat Black	12
98-11	Clear	12
98-12	Flat White	12
98-13	Satin White	12
98-20	Gloss Brick Red	12
98-22	Gloss Tan	12
98-23	Gloss Almond	12
98-24	Satin Black	12
98-27	Gloss Dove Gray	12
98-28	Gloss Orange	12
98-34	Gloss Light Yellow	12
98-35	Gloss Medium Blue	12
98-36	Gloss Brown	12
98-37	Gloss Light Blue	12
98-39	Gloss Pink	12
98-81	Parrott Green	12
98-86	Gloss Dark Yellow	12
98-87	Gloss Dark Blue	12
98-88	Gloss Bright Green	12
98-89	Gloss Purple	12





Local: 972-247-8871

SEYMOUR PAINT

Paver's Reflective Marking Paint

Fill Weight: 16 oz

Unique marking paint system provides considerable cost savings and ease of application when compared to reflective tape. Can be applied immediately to hot asphalt and dries in less than two minutes. Produces an easily visible line. Reflects brightly, day or night. Packaged in 20 cans.



Mfg Part#	Color	Case Qty
20-780	Clear	12

SEYMOUR PAINT

Shiny Galv

Fill Weight: 12 oz

A shiny zinc enhanced zinc coating that prevents rust and provides excellent outdoor protection. This is the product of choice for the cosmetic restoration of galvanized metal, chain link fences, and guard rails. Does not meet specifications calling for 65% zinc in the can or greater than 90% zinc in the dried paint film. Fast dry, prevents rust, and has excellent outdoor durability.



Suggested Uses:

- All vehicle bodies
- Agricultural, mining and construction equipment
- Piping, storage tanks
- Bridges
- Ships and marine equipment

Mfg Part#	Case Qty
16-841	6

SEYMOUR PAINT

OE Shiny Galv

Fill Weight: 13 oz

A smooth, zinc enhanced compound that dries to a durable, crack resistant coating. Matches the appearance of new galvanized metal, which eliminates the need for an aluminum top-coat. The dried paint film contains a minimum of 65% zinc. It is considered a sacrificial coating, and meets ASTM A780 performance specifications.



Suggested Uses:

- Aesthetic repair of welds
- Highway guard rails
- Piping, storage tanks
- Chain link fencing
- Ships and marine equipment
- Trailers

Mfg Part#	Case Qty
16-842	6

SEYMOUR PAINT

SPRAY-GALV Weld-thru Primer

Fill Weight: 15 oz

A cold galvanizing primer that contains 86% Type I inorganic zinc in the dried paint film. Resists oxidation, and the galvanizing protection continues even if scratched. Can be topcoated for maximum durability. Meets or exceeds the performance requirements of ASTM A780, MIL-P-26915C, MIL-P-46105, DOD-P-21035A, SSPC-Paint 20. Contains an additive which results in less smoke and electrode wear when welding, and cuts faster than 100% zinc rich coatings.



Suggested Uses:

- Effective touch-up for hot dip galvanized surfaces
- Chain link fencing
- Guardrails

Mfg Part#	Case Qty
16-845	6

SEYMOUR PAINT

MRO Cold Galv Primer

Fill Weight: 15 oz

A cold galvanizing primer that contains 93% Type I inorganic zinc in the dried paint film. Resists oxidation, and the galvanizing protection continues even if scratched. Can be topcoated for maximum durability. Meets or exceeds the performance requirements of ASTM A780, MIL-P-26915C, MIL-P-46105, DOD-P-21035A, SSPC-Paint20.



Suggested Uses:

- Touch up galvanized metal
- Zinc protection for iron
- Galvanize metal structures
- Use on projects that require 90% minimum zinc content

Mfg Part#	Case Qty
16-1445	6

SEYMOUR PAINT

Tool Crib Silicone Lube

Fill Weight: 13 oz

A clear silicone lubricant for use on all sliding and rubbing surfaces. Authorized by USDA for use in Federally inspected meat and poultry plants. Comes with an extension tube for pinpoint application, and sprays in any position. Withstands high pressures, does not stain, and has low odor.



Suggested Uses:

- Windows
- Doors
- Linkage
- Speedometer cables
- Shovels
- Chutes

Mfg Part#	Case Qty
620-1500	6

Toll-Free: 1-800-462-4983

SEYMOUR PAINT

Tool Crib Chain and Cable Lube

Fill Weight: 15 oz

A lightweight black lubricant that penetrates deeply and prolongs the life of any size chain or wire by keeping it supple and resisting rust. Displaces water and has excellent clinging properties. Extension tube is provided for pinpoint application. Application should be confined to light duty drive chains not running thru an oil bath.



Suggested Uses:

- Motorcycles
- Chain saws
- Bicycles
- Elevator cables
- Link & roller assemblies
- Sprockets

Mfg Part#	Case Qty
620-1502	6

SEYMOUR PAINT

5 Way Corrosion Inhibitor and Lube

Fill Weight: 15 oz

This is a multi-purpose light-weight lubricant that both penetrates and protects against rust and corrosion. Displaces moisture, prevents flash rusting, and provides long term protection for metal. Does not contain silicone and meets following government specifications: MIL-C-16173D and MIL-C-23411 (metal corrosion test) and MIS-C-22235A (stain test).



Suggested Uses:

- Lubricate hinges, threads, and pulleys
- Loosen frozen nuts and bolts
- Substitute for WD-40
- Coat metal parts that will sit outside

Mfg Part#	Case Qty
620-1541	6

SEYMOUR PAINT

Tool Crib Break Cleaner

Fill Weight: 15 oz

This fast dry cleaner safely removes dust and grease from brake parts and other metal objects. Eliminates brake squealing, contains no chlorinated solvents, and is VOC compliant. Repeat application may be required for heavily contaminated parts. An extension tube is provided for accurate spraying in any position. **NOTE: Do not use this product on rubber parts.**



Suggested Uses:

- Clean brake discs and cylinders
- Remove dust from brake pads.
- Degrease chains and tools
- Remove oil from metal parts
- Prepare metal for painting

Mfg Part#	Case Qty
620-1548	6

SEYMOUR PAINT

Tool Crib Dry Graphite Lube

Fill Weight: 14 oz

A fast drying graphite lubricant that reduces friction and noise. Effective under heavy pressures and high temperature extremes. The oil-free formulation resists water and alkalis. The all position valve allows can to be sprayed in any position. May be used as a parting compound on dies, sand cores or match plates.



Suggested Uses:

- Bearings
- Tracts
- Conveyors
- Flat springs
- Hinges

Mfg Part#	Case Qty
620-1506	6

SEYMOUR PAINT

Tool Crib Red Insulating Varnish

Fill Weight: 16 oz

This product is specially designed to protect and insulate surfaces from deterioration caused by exposure to oil, moisture, acid and alkali. The high gloss enamel coating is recommended for use as a finish coat to Class "F" winding or electrical apparatus. Dries quickly, resists cracking, and reduces current leakage.



Suggested Uses:

- Commutator ends, switch-board parts.
- Motor case interiors
- Collector rings and shells.
- Armatures, bus bars.
- Field windings of motors,
- Starters, generators

Mfg Part#	Case Qty
620-1525	6

SEYMOUR PAINT

Tool Crib Dry Moly Lube

Fill Weight: 14 oz

A quick-drying, thin film that provides superior lubrication under extreme pressures and a broad temperature ranges. Excellent adhesion, oil free, and protects against seizing, fretting, and galling. Provides excellent anti-wear protection for cutting and forming tools. Extension tube provided for pinpoint application.



Suggested Uses:

- Dust free lubricant for pre-assembly and production
- Wire drawing
- Gasket and stop-off coating
- Rubber mold release
- Machine tool slides
- Conveyors (hi-temp.)

Mfg Part#	Case Qty
620-1505	6



Local: 972-247-8871

SEYMOUR PAINT

Cast Blast

Fill Weight: 12 oz

A professional grade cast iron paint that reproduces the original look of cast-iron parts. Cast Blast is perfect for water pumps, intake manifolds, master cylinders and more. It protects against rust, has a low sheen, and resists heat up to 250F continuous. For higher temperature applications, use our Hot Spot cast iron gray, #16-2668.



Suggested Uses:

- Rebuilt cylinder heads
- Refinish a radiator
- Repair steel wheels
- Paint an intake manifold

Mfg Part#	Case Qty
16-048	6

SEYMOUR PAINT

Alumi Blast

Fill Weight: 12 oz

A professional grade coating that restores aluminum wheels and castings to their original luster. Formulated with acrylic resin for best adhesion and maximum durability. Resists corrosion and abrasion, VOC compliant, and does not yellow. Matches OEM color #0642.



Suggested Uses:

- Restore aluminum rims
- Paint alternators
- Refinish intake manifold

Mfg Part#	Case Qty
16-055	6

SEYMOUR PAINT

Brite and Clear Glass Cleaner

16 oz

A powerful streak-free glass cleaner that contains ammonia and works on a variety of surfaces, including mirrors, countertops, stainless steel, porcelain, tile, vinyl, and chrome. Cuts through grease, is non-abrasive, and does not leave a film. Works well in commercial or industrial applications.



Mfg Part#	Case Qty
20-020	12

SEYMOUR PAINT

STRIPE Inverted Tip Marker

Fill Weight: 13 oz & 17 oz

A heavy-duty industrial marker available in water and solvent based formulations. The no-clog, fast drying formula is available in a full range of construction and APWA colors. Available in 16 oz. and 20 oz. sizes. Both come with the Seymour convert-a-cap, a specially designed protective cover that does not need to be removed before using. This provides the user with a convenient marking tool without the worry of accidentally spraying. Now all Traffic Marker and Athletic Field Marker Inverted Tips have Seymour's Universal Spray Tip. Crisp lines up to 4" wide and approximately 250 feet in length can be expected from each 20 ounce can. Seymour's Spray Tip allows product to be used with most types of marking equipment.



Mfg Part#	Color	Case Qty
16 oz		
16-652	White	12
16-653	Precaution Blue	12
16-655	Safety Green	12
16-659	Light Blue	12
16-670	Alert Orange	12
16-671	Safety Red	12
16-676	High Visibility Yellow	12
16-677	Caution Yellow (Highway)	12
16-654	Red Fluorescent	12
16-657	Orange Fluorescent	12
16-658	Red/Orange Fluorescent	12
16-668	Green Fluorescent	12
16-669	Blue Fluorescent	12
16-679	Hot Pink Fluorescent	12
20 oz		
20-631*	Clear	12
20-652/20-952*	White	12
20-653/20-953*	Precaution Blue	12
20-654/20-954*	Red Fluorescent	12
20-655/20-955*	Safety Green	12
20-657-20-957*	Orange Fluorescent	12
20-658/20-958*	Red/Orange Fluorescent	12
20-663	Black (Asphalt)	12
20-676/20-976*	High Visibility Yellow	12
20-651	Aluminum	12
20-668/20-968*	Green Fluorescent	12
20-669/20-969*	Blue Fluorescent	12
20-670	Alert Orange	12
20-671/20-971*	Safety Red	12
20-678/20-978*	Utility Yellow	12
20-679/20-979*	Hot Pink Fluorescent	12
20-680	Safety Purple	12

* Solvent Base

Search our online catalog at:
LawlessGroup.com

