

Toll-Free: 1-800-462-4983



GREEN BULL LADDERS

Series 2022 Fiberglass Stepladder
Type IA 300 lbs Load Capacity

- Molded top with recessed tool tray
- 4-rivet connection to front rail
- Internal spreaders
- Full set of rear horizontals
- Double-rivet step connection
- Double braced bottom step
- Oversized protective boots

Dimensions:

- Top: 5-3/4" x 13"
- Steps: 3"
- Front Rails: 3-1/8"
- Rear Rails: 1-7/8"
- Front Flange: 1-3/16"
- Rear Flange: 1-3/16"



Mfg Part#	Size ft.	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
202204	4	19.3	28.4	3.23	15.0
202206	6	22.3	40.3	5.55	21.0
202208	8	25.3	52.3	8.35	29.0
202210	10	28.3	64.3	11.64	38.0
202212	12	31.3	76.3	15.42	50.0

GREEN BULL LADDERS

Series 2062 Fiberglass Twin Stepladder
Type IA 300 lbs Load Capacity Per Side*

- Heavy-duty all steep top hinge
- 4-rivet connection to both rails
- Internal spreaders
- Double-rivet step connection
- Double braced bottom step
- Oversized molded wrap-around boot

Dimensions:

- Top: 8-1/2" x 13"
- Steps: 3"
- Rails: 3-1/8"
- Flange: 1-3/16"



Mfg Part#	Size ft.	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
206204	4	19.3	38.2	4.05	20.0
206206	6	22.3	53.0	6.99	27.0
206208	8	25.3	68.0	10.55	35.0
206210	10	28.3	83.0	14.74	50.0
206212	12	31.3	98.0	19.55	67.0

*Designed for one or two person jobs. Note: When used as a double stepladder, the maximum load per side, including persons and materials, shall not exceed the duty rating of the ladder.

GREEN BULL LADDERS

Series 2032 Fiberglass Stepladder
Type IAA 375 lbs Load Capacity

- Molded top with recessed tool tray
- 4-rivet connection to front rail
- Fully knee-braced steps and rear horizontals
- Double-rivet step connection
- Fiberglass sleeves protect the rails from damage and wear

Dimensions:

- Top: 5-3/4" x 13"
- Steps: 3"
- Front Rails: 3-1/8"
- Rear Rails: 1-7/8"
- Front Flange: 1-3/16"
- Rear Flange: 1-3/16"



Mfg Part#	Size ft.	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
203203	3	18.0	22.4	2.34	15.0
203204	4	19.5	28.4	3.35	18.0
203206	6	22.5	40.3	5.73	25.0
203208	8	25.5	52.3	8.61	40.0
203210	10	28.5	64.3	12.00	51.0
203212	12	31.5	76.3	15.88	62.0

GREEN BULL LADDERS

Series 2042 Fiberglass Twin Stepladder
Type IAA 375 lbs Load Capacity

- Heavy-duty all steep top hinge
- Double-rivet step connection
- Internal spreaders
- Fiberglass sleeves protect the rails from damage and wear
- Double braced bottom step

Dimensions:

- Top: 8-3/4" x 13"
- Steps: 3"
- Rails: 3-1/8"
- Flange: 1-3/16"



Mfg Part#	Size ft.	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
204204	4	19.6	38.1	4.06	23.0
204206	6	22.6	53.0	6.99	32.0
204208	8	25.6	68.0	10.64	46.0
204210	10	28.6	83.0	14.69	64.0
204212	12	31.6	98.0	19.46	75.0
204214*	14	34.6	112.9	24.85	95.0
204216*	16	37.6	127.9	30.85	113.0

*Type 1A 300 lbs. load capacity per side

**Designed for one or two person jobs. Note: When used as a double stepladder, the maximum load per side, including persons and materials, shall not exceed the duty rating of the ladder.



Local: 972-247-8871

GREEN BULL LADDERS

Series 2072 Fiberglass Platform Ladder
Type IA 300 lbs Load Capacity

- Safety guardrail
- Large, stable platform
- Full set of rear horizontals
- Double-rivet step connection
- Oversized molded wrap-around boot
- Double braced bottom step

Dimensions:

- Top: 13" x 17-1/8"
- Steps: 3"
- Front Rails: 3-1/8"
- Rear Rails: 1-3/4"
- Front Flange: 1-3/16"
- Rear Flange: 1-1/8"



Mfg Part#	Size ft.	Platform Height	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
207202	2	1'11"	22.6	32.4	3.78	20.0
207204	4	3'10"	25.6	44.4	6.32	26.0
207206	6	5'8"	28.6	56.4	9.34	34.0
207208	8	7'7"	31.6	68.3	12.84	49.0
207210	10	9'6"	34.6	80.1	16.82	60.0
207212	12	11'5"	36.0	92.0	20.42	72.0

GREEN BULL LADDERS

Series 6062 Fiberglass Extension Ladder
Type IA 300 lbs Load Capacity

- External guides at top of base section
- Full length interlocking side rails
- Direct rung-to-rail connection
- Slip-resistant D-rungs
- Aluminum locks
- Steel shoes

Dimensions:

- Rails: 3-5/16"
- Rungs: 1-5/8"
- Flange: 1-3/16"
- Base Width: 17-3/4"
- Fly Width: 16"



Mfg Part#	Total Length ft.	Max Working Length ft.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
606220	20	17	9.71	43.0
606224	24	21	11.55	51.0
606228	28	25	13.38	58.0
606232	32	29	15.22	71.0
606240	40	35	18.89	85.0

GREEN BULL LADDERS

Series 2061 Aluminum Stepladder
Type IA 300 lbs Load Capacity

- Molded top with recessed tool tray
- 4-rivet connection to front rail
- Internal spreaders with double rivet connection
- Full set of rear horizontals
- Double-rivet step connection
- Double braced bottom step

Dimensions:

- Top: 5-3/4" x 13"
- Steps: 3"
- Front Rails: 3-1/8"
- Rear Rails: 1-7/8"
- Front Flange: 1-1/16"
- Rear Flange: 1-1/16"



Mfg Part#	Size ft.	Approx. Width in.	Approx. Spread in.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
206104	4	19.1	28.4	2.82	15.0
206106	6	22.1	40.3	4.84	21.0
206108	8	28.1	52.3	8.19	30.0
206110	10	31.1	64.3	11.24	39.0
206112	12	31.0	76.3	13.40	47.0
206114	14	34.1	89.3	23.96	71.0
206116	16	37.1	101.1	29.74	84.0
206118	18	40.1	113.0	36.11	110.0
206120	20	43.1	124.9	43.08	124.0





Toll-Free: 1-800-462-4983

GREEN BULL LADDERS

Series 6102 Fiberglass Extension Ladder
Type IAA 375 lbs Load Capacity

- External guides at top of base section
- Full length interlocking side rails
- Riveted rung plates
- Slip-resistant D-rungs
- Aluminum locks
- Heavy cast aluminum shoe assembly

Dimensions:

- Rails: 3-1/4"
- Rungs: 1-5/8"
- Flange: 1-3/16"
- Base Width: 17-3/4"
- Fly Width: 16"



Mfg Part#	Total Length ft.	Max Working Length ft.	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. (lbs)
610216	16	13	8.27	38.0
610220	20	17	10.21	46.0
610224	24	21	12.15	55.0
610228	28	25	14.08	61.0
610232	32	29	16.02	74.0
610236*	36	32	18.31	105.0
610240*	40	35	20.27	115.0

100% PURE PROFESSIONAL

- Tough, quality, dependable ladders
- Solid, functional design
- Backed by Werner's manufacturing, quality control and distribution process
- Available only through professional distributors



Skilled workers and flexible manufacturing systems make the Green Bull facility ideal for special request production.

GREEN BULL LADDERS

Aluminum Stages



- Ergonomic carrying handles increase comfort during transportation
- Chemically bonded hand grips provide extended life
- 3-piece rung-to-rail connection system increases stiffness
- Double end rungs on stages over 20' and on all 5" and 6" rails
- Raised and abraded decking assures slip-resistant surface
- Modular guard rail system can be adapted for multiple stage lengths

Mfg Part#	Width	Side Rail Length	Side Rail Depth	Approx. Shipping Wt. (lbs)
421416	14"	16'	5"	58.0
421420	14"	20'	6"	85.0
421424	14"	24'	6"	109.0
422020	20"	20'	6"	102.0

