

Toll-Free: 1-800-462-4983
OCM, INC.
Coil Thread Products
2 Strut Conefast Coil Tie
1/2" Standard Coil Tie

- 3/4" Coil Ties also available upon request
- 1/2" Heavy Duty (6.750 SWL) available upon request - 4 Strut Available
- Additional lengths available upon request
- Waterseal available upon request
- Safe Working Load (SWL) provides a safety factor of approximately 2 to 1



Mfg Part#	Wall Thickness	Box Qty	Weight / Box (lbs)	Safe Working Load (lbs)
CT5004SP	4	100	32	4,500
CT062SP	6	100	32	4,500
CT5008SP	8	100	32	4,500
CT5010SP	10	100	36	4,500
CT5012SP	12	100	42	4,500
CT5014SP	14	100	46.6	4,500
CT5016SP	16	100	51.2	4,500
CT5018SP	18	100	55.8	4,500
CT5020SP	20	100	60.4	4,500
CT5022SP	22	100	65	4,500
CT5024SP	24	100	69.6	4,500
CT5026SP	26	100	74.2	4,500
CT5028SP	28	100	78.8	4,500
CT5030SP	30	100	83.4	4,500
CT5032SP	32	100	88	4,500
CT5034SP	34	100	92.6	4,500
CT5042SP	42	100	110	4,500

OCM, INC.
Coil Thread Products
Full Strut Coil Tie
1/2" Standard Coil Tie

- 3/4" Coil Ties also available upon request
- 1/2" Heavy Duty (6.750 SWL) available upon request - 4 Strut Available
- Additional lengths available upon request
- Waterseal available upon request
- Safe Working Load (SWL) provides a safety factor of approximately 2 to 1



Mfg Part#	Tie Length	Box Qty	Weight / Box (lbs)	Safe Working Load (lbs)
CT5004SP-F	4	100	32	4,500
CT5006SP-F	6	100	32	4,500
CT5008SP-F	8	100	32	4,500
CT5010SP-F	10	100	36	4,500
CT5012SP-F	12	100	42	4,500

OCM, INC.
Coil Thread Products
1" Plastic Coil Tie Cone


Mfg Part#	Dia.	Set-back	Box Qty
SBCONE50X100P	1/2"	1"	25
SBCONE50X150P	1/2"	1-1/2"	25
SBCONE50X200P	1/2"	2"	25
SBCONE75X100P	3/4"	1"	25
SBCONE75X200P	3/4"	2"	25
SBCONE100X200P	1"	2"	25
SBCONE125X200P	1-1/4"	2"	25

OCM, INC.
Coil Thread Products
1" Plastic Coil Tie Cone


Mfg Part#	Size	Length	Box Qty	Weight / Box (lbs)
CT50X1CONE	1/2"	1"	50	2.25
CT75X1CONE	3/4"	1"	50	3.25

OCM, INC.
Coil Thread Products
Cone Wrench


Mfg Part#	Size	Box Qty	Weight / Box (lbs)
CT50WRENCH	1/2"	1	1.6
CT75WRENCH	3/4"	1	1.9

OCM, INC.
Coil Thread Products
Coil Nuts

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.




Mfg Part#	D Size	H Approx. Height	AC Across Flats	Carton Qty	Wt. per 100 pcs (lbs)	Safe Working Load (lbs)
50ACCN0P	1/2"	1/2"	7/8"	1,000	6.2	6,000
50ACCN0P-G						
75SCCN0P	3/4"	3/4"	1-1/4"	250	17.8	9,000
75SFCN	3/4" Finished	11/16"	1-1/8"	500	11.4	9,000
100SCCN0P	1"	1"	1-5/8"	150	15.0	18,000
125SCCN0P	1-1/4"	1-1/4"	2"	70	75.2	27,000
62SFCN	5/8" Finished	9/16"	15/16"	500	11.4	8,000
150CCCN	1-1/2"	1-1/2"	2-3/8"	40	122.6	40,000
87SCCN0P	7/8"	7/8"	1-7/16"	250	27.6	16,000



Local: 972-247-8871

OCM, INC.Coil Thread Products
Heavy Duty "Tall" Coil
Nuts


* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	D Size	H Height	AC Across Flats	Carton Qty	Wt. per 100 pcs (lbs)	Safe Working Load (lbs)
50ACCN0PT	1/2"	1-1/8"	1-5/16"	1,000	6.2	9,000
75SCCN0PT	3/4"	1-1/8"	1-5/16"	500	11.4	18,000
100SCCN0P	1"	2"	1-3/8"	500	11.4	37,500

OCM, INC.Coil Thread Products
Coil Bolts

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	D Size	L Length	AC Across Flats	Carton Qty	Wt. per 100 pcs (lbs)	Safe Working Load (lbs)
1/2" D Size						
50A150CBH0P	1/2"	1-1/2"	3/4"	500	10.6	4,125
50A200CBH0P	1/2"	2"	3/4"	500	12.8	4,125
50A250CBH0P	1/2"	2-1/2"	3/4"	400	15.1	4,125
50A300CBH0P	1/2"	3"	3/4"	300	17.1	4,125
50A350CBH0P	1/2"	3-1/2"	3/4"	250	19.4	4,125
50A400CBH0P	1/2"	4"	3/4"	250	21.6	4,125
50A500CBH0P	1/2"	5"	3/4"	200	26.3	4,125
50A600CBH0P	1/2"	6"	3/4"	150	30.7	4,125
50A1200CBH0P	1/2"	12"		50		
50A1600CBH0P	1/2"	16"		50		
50A1800CBH0P	1/2"	18"		50		
50A2400CBH0P	1/2"	24"		50		
50A3000CBH0P	1/2"	30"		50		

3/4" D Size


75S200CBH0P	3/4"	2"	1-1/8"	150	32.8	9,000
75S250CBH0P	3/4"	2-1/2"	1-1/8"	150	39.4	9,000
75S300CBH0P	3/4"	3"	1-1/8"	100	42.7	9,000
75S350CBH0P	3/4"	3-1/2"	1-1/8"	100	47.8	9,000
75S400CBH0P	3/4"	4"	1-1/8"	100	52.5	9,000
75S500CBH0P	3/4"	5"	1-1/8"	75	62.5	9,000
75S600CBH0P	3/4"	6"	1-1/8"	75	72.4	9,000

5/8" D Size

62S200CBH0P	5/8"	2"		100		
62S400CBH0P	5/8"	4"		100		

OCM, INC.Coil Thread Products
Coil Rod


* 6 ft. lengths also available
 * SWL provides a safety factor of approximately 2 to 1.
 * Special Order cut lengths are available by request.



Mfg Part#	D Size	L Length	Bundle Qty / Wt.	Safe Working Load (lbs)
50ACTRP144	1/2"	12 ft.	50 / 6.4 lbs.	9,000
75ACTRP144	3/4"	12 ft.	40 / 13.8 lbs.	18,000
87ACTRP144	7/8"	12 ft.	25 / 20.04 lbs.	31,000
100ACTRP144	1"	12 ft.	25 / 24.48 lbs.	38,000
125ACTRP144	1-1/4"	12 ft.	12 / 41.76 lbs.	56,000
150ACTRP144	1-1/2"	12 ft.	30 / 72.12 lbs.	68,000

OCM, INC.Coil Thread Products
Coil Rod Stop Coupler


* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	D Thread	L Length	Box Qty	Safe Working Load (lbs)
50A250CTCP	1/2"	2-1/2"	100	9,000
75S300CTCP	3/4"	3"	50	18,000
100S450CTCP	1"	4-1/2"	30	38,000

OCM, INC.Heavy Duty Forming
Products
Coil Nut Washer

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	D Size	Washer Diameter	Wt. (lbs)	Box Qty	Safe Working Load (lbs)
50CNW	1/2"	4"	0.75	25	4,500
75CNW	3/4"	4"	0.75	25	9,000
100CNW	1"	5"	2.25		18,000
75ANW	3/4"	ACME Thread		25	

Toll-Free: 1-800-462-4983
OCM, INC.

 Coil Thread Products
 Coil Wing Nut


Mfg Part#	D Size	Wt. (lbs)	Box Qty
CWN50	1/2"	0.65	50
CWN75	3/4"	0.90	30
CWN100	1"	1.07	20
CWN125	1-1/4"	1.22	20
CWN150	1-1/2"	2.85	10

OCM, INC.

 Coil Thread Products
 Coil Eye Nut

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.




Mfg Part#	D Size	H Height	Wt. (lbs)	Box Qty	Safe Working Load (lbs)
50CEN	1/2"	3-1/4"	0.7	30	2,700
75CEN	3/4"	3-1/2"	1.2	25	3,600
100CEN	1"	5"	2.9	8	7,200
125CEN	1-1/4"	6-1/4"	6.0	5	10,800

OCM, INC.


 Coil Thread Products
 Flat Washer

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.




Mfg Part#	D Size	L x W x t	Wt. (lbs)	Box Qty	Safe Working Load (lbs)
50RC3475FWAP	1/2"	3"x4"x1/4"	0.90	100	4,500
75RC4575FWAP	3/4"	4"x5"x1/4"	1.44	100	6,750
75RC4538FWAP	3/4"	4"x5"x3/8"	2.85	50	6,750
100RC55716FWAP	1"	5"x5"x7/16"	3.30	25	18,000
125RC5558FWAP	1-1/4"	5"x5"x5/8"	3.30	25	27,000

OCM, INC.

 Coil Thread Products
 Fitting Up "Speed" Bolts


Mfg Part#	D Size	L Length	AC Across Flats	Carton Qty	Wt. per Carton (lbs)	Grade
75F200FUBP	3/4"	2"	1.25"	125	48	SAE Grade 5
75F400FUBP	3/4"	4"	1.25"	85	50	SAE Grade 5

OCM, INC.

 Coil Thread Products
 Fitting Up "Speed" Nuts


Mfg Part#	D Size	AC Across Flats	Carton Qty	Wt. per Carton (lbs)	Grade
75FNHH6P	3/4"	1.25"	250	43	ASTM A563 Grade C
75FNHH2HP	3/4"	1.25"	250	45	ASTM A194 Grade 2H

OCM, INC.

 Light Duty Forming Products
 Standard Wedge Bolt


Mfg Part#	Bucket Qty	Wt. per Bucket (lbs)
OCMWEGP	500	60

OCM, INC.

 Light Duty Forming Products
 Gang Wedge Bolt


Mfg Part#	Bucket Qty	Working Load Limit lbs. (kg)
OCMGWBP	200	60



Local: 972-247-8871

OCM, INC.

Light Duty Forming Products
Long Wedge Bolt



Mfg Part#	Bucket Qty	Wt. per Bucket (lbs)
OCMLWBP	250	35

OCM, INC.

Light Duty Forming Products
Turnbuckle



Mfg Part#	Type	Wt. (lbs)	Carton Qty
TBFB-FSF	Straight Plate	7.8	250
TBFB-BF	Bent Plate	8.1	250

OCM, INC.

Light Duty Forming Products
Long Wedge Bolt



Mfg Part#	Wt. (lbs)	Carton Qty
ZTIE	0.74	50

OCM, INC.

Light Duty Forming Products
One Piece Waler Clamp

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	Wt. (lbs)	Carton Qty
OCM-OPWC	1.15	50

OCM, INC.

Light Duty Forming Products
X-Flat Tie

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	Wall Thickness Size	Type	Wt. (lbs)	Safe Work- ing Load (lbs)
<i>Standard</i>				
FT06S	6"	Standard	0.275	3,000
FT07S	7"	Standard		3,000
FT08S	8"	Standard	0.32	3,000
FT09S	9"	Standard		3,000
FT10S	10"	Standard	0.365	3,000
FT11S	11"	Standard		3,000
FT12S	12"	Standard	0.41	3,000
FT14S	14"	Standard		3,000

Heavy Duty

FT06HD	6"	Heavy Duty		3,350
FT07HD	7"	Heavy Duty		3,350
FT08HD	8"	Heavy Duty		3,350
FT09HD	9"	Heavy Duty		3,350
FT10HD	10"	Heavy Duty		3,350
FT11HD	11"	Heavy Duty		3,350
FT12HD	12"	Heavy Duty		3,350
FT14HD	14"	Heavy Duty		3,350

OCM, INC.

Light Duty Forming Products
Hand-Set Scaffolding Bracket
Symons Type



Mfg Part#	Wt. (lbs)	Carton Qty
SBRACK-HSET	13.9	70

OCM, INC.


Light Duty Forming Products
X-Flat Tie



Mfg Part#	Wall Thickness	Size	Type	Safe Working Load (lbs)
FT06SP	6"		Standard	3,000
FT08SP	8"		Standard	3,000
FT10SP	10"		Standard	3,000
FT12SP	12"		Standard	3,000
FT18SP	18"		Standard	3,000
FT20SP	20"		Standard	3,000
FT24SP	24"		Standard	3,000

Toll-Free: 1-800-462-4983**OCM, INC.****Light Duty Forming Products****Snaph Tie**

- * Safe Working Load (SWL) provides a safety factor of approximately 2 to 1
- * Waterstop also available
- * Special lengths and heavy duty ties available upon request
- * Stainless steel also available



Mfg Part#	Size	Wt. (lbs)	Carton Qty	Safe Working Load (lbs)
-----------	------	-----------	------------	-------------------------

Short End (4-3/4") Washer Ties

STSEW-6	6"	0.24	100	2,250
STSEW-7	7"	0.25	100	2,250
STSEW-8	8"	0.26	100	2,250
STSEW-10	10"	0.28	100	2,250
STSEW-12	12"	0.31	100	2,250
STSEW-14	14"	0.33	100	2,250
STSEW-15	15"	0.34	100	2,250
STSEW-16	16"	0.35	100	2,250
STSEW-18	18"	0.37	100	2,250
STSEW-20	20"	0.39	100	2,250
STSEW-24	24"	0.44	100	2,250
STSEW-30	30"	0.51	100	2,250
STSEW-36	36"	0.57	100	2,250
STSEW-42	42"	0.64	100	2,250
STSEW-48	48"	0.71	100	2,250

Short End (4-3/4") Cone Ties

STSEC-6	6"	0.24	100	2,250
STSEC-7	7"	0.25	100	2,250
STSEC-8	8"	0.26	100	2,250
STSEC-9	9"	0.26	100	2,250
STSEC-10	10"	0.28	100	2,250
STSEC-11	11"	0.28	100	2,250
STSEC-12	12"	0.31	100	2,250
STSEC-14	14"	0.33	100	2,250
STSEC-15	15"	0.34	100	2,250
STSEC-16	16"	0.35	100	2,250
STSEC-18	18"	0.37	100	2,250
STSEC-20	20"	0.39	100	2,250
STSEC-24	24"	0.44	100	2,250
STSEC-30	30"	0.44	100	2,250
STSEC-36	36"	0.57	100	2,250
STSEC-42	42"	0.64	100	2,250

Mfg Part#	Size	Wt. (lbs)	Carton Qty	Safe Working Load (lbs)
-----------	------	-----------	------------	-------------------------

Long End (8-1/4") Washer Ties

STLEW-6	6"	0.318	100	2,250
STLEW-7	7"	0.329	100	2,250
STLEW-8	8"	0.34	100	2,250
STLEW-9	9"	0.351	100	2,250
STLEW-10	10"	0.363	100	2,250
STLEW-12	12"	0.385	100	2,250
STLEW-14	14"	0.408	100	2,250
STLEW-15	15"	0.419	100	2,250
STLEW-16	16"	0.43	100	2,250
STLEW-18	18"	0.453	100	2,250
STLEW-20	20"	0.476	100	2,250
STLEW-24	24"	0.521	100	2,250
STLEW-30	30"	0.589	100	2,250
STLEW-36	36"	0.655	100	2,250
STLEW-42	42"	0.721	100	2,250
STLEW-48	48"	0.787	100	2,250
STLEW-54	54"	0.853	100	2,250
STLEW-60	60"	0.919	100	2,250

Long End (8-1/4") Cone Ties


STLEC-6	6"	0.318	100	2,250
STLEC-7	7"	0.329	100	2,250
STLEC-8	8"	0.34	100	2,250
STLEC-9	9"	0.351	100	2,250
STLEC-10	10"	0.363	100	2,250
STLEC-12	12"	0.385	100	2,250
STLEC-14	14"	0.408	100	2,250
STLEC-15	15"	0.419	100	2,250
STLEC-16	16"	0.43	100	2,250
STLEC-18	18"	0.453	100	2,250
STLEC-20	20"	0.476	100	2,250
STLEC-24	24"	0.521	100	2,250
STLEC-27	27"	0.555	100	2,250
STLEC-30	30"	0.589	100	2,250
STLEC-32	32"	0.610	100	2,250
STLEC-33	33"	0.620	100	2,250
STLEC-36	36"	0.660	100	2,250
STLEC-39	39"	0.690	100	2,250
STLEC-42	42"	0.720	100	2,250
STLEC-48	48"	0.790	100	2,250
STLEC-54	54"	0.860	100	2,250



Local: 972-247-8871

OCM, INC.Light Duty Forming
Products

Speed Lock Tie

1" x 1" Self Centering Cone
Special lengths and stain-
less steel also available.

Mfg Part#	Wall Size	Wt (lbs)	Safe Working Load (lbs)
SLT-06	6"	0.21	2,250 Provides a safety factor of approximately 2 to 1
SLT-07	7"	0.22	
SLT-08	8"	0.23	
SLT-09	9"	0.24	
SLT-10	10"	0.25	
SLT-12	12"	0.28	
SLT-14	14"	0.31	
SLT-16	16"	0.34	
SLT-18	18"	0.36	
SLT-20	20"	0.38	
SLT-22	22"	0.41	
SLT-24	24"	0.44	
SLT-30	30"	0.48	
SLT-36	36"	0.53	

OCM, INC.Light Duty Forming
Products

A Clamp



Mfg Part#	Wt. (lbs)	Carton Qty
ACLMP	1.4	50

OCM, INC.Light Duty Forming
Products

C Clamp



Mfg Part#	Wt. (lbs)	Carton Qty
CCLMP	1.1	75

OCM, INC.Light Duty Forming
Products


Snap Tie Wedge



Mfg Part#	Wt. (lbs)	Carton Qty	Safe Working Load (lbs)
STWEGP	0.40	100	3,250

OCM, INC.Light Duty Forming
Products


Snap Bracket



Mfg Part#	Finish	Wt. (lbs)	Carton Qty
OCM-SB	Plated	1.2	50

OCM, INC.Light Duty Forming
Products

Form Liner Clamp



Mfg Part#	Finish	Wt. (lbs)	Carton Qty
OCM-FLB	Galvanized	1.3	25

OCM, INC.Light Duty Forming
Products

Jahn Scaffolding Bracket



Mfg Part#	Wt. (lbs)	Carton Qty
SBRAC-T-JH	16.5	50


OCM, INC.Light Duty Forming Products
Pencil Rod Clamp* Safe Working Load (SWL) provides a
safety factor of approximately 2 to 1.

Mfg Part#	Size	Wt. (lbs)	Box Qty	Safe Working Load (lbs)
PRC25	1/4"	0.36	50	1,125
PRC375	3/8"	0.687	25	2,250
PRC50	1/2"	1.118	15	3,750

Toll-Free: 1-800-462-4983**OCM, INC.**

Light Duty Forming
Products
Pencil Rod Puller

Mfg Part#	Size	Wt. (lbs)	Carton Qty
25PRP	1/4"	0.360	15
375PRP	3/8"	0.687	10
50PRP	1/2"	1.118	

**OCM, INC.**

Bridge Forming Products
Bridge Overhang Bracket

Mfg Part#	Wt. (lbs)	Carton Qty
OCMBOB	45	45

**OCM, INC.**

Bridge Forming Products
Junior Overhang Bracket

Mfg Part#	Wt. (lbs)	Carton Qty
OCM-BOBJR	35	50

**OCM, INC.**

Bridge Forming Products
Deep Beam Bridge Overhang
Bracket

Mfg Part#	Wt. (lbs)	Carton Qty
OCM-BOBLGN	53	30

**OCM, INC.**

Bridge Forming Products
Bridge Overhang Bracket
Extender

Mfg Part#	Wt. (lbs)	Carton Qty
OCM-BOBEX-D	3.55	600

**OCM, INC.**

Bridge Forming Products
Bridge Overhang Bracket
Conversion Kit

Converts Standard Overhang Bracket to Deep Bracket. Includes nuts and bolts.

Mfg Part#	Wt. (lbs)	Skid Qty
OCM-BOBCONV	29	50

**OCM, INC.**

Bridge Forming Products
2x4 Guard Rail Pocket for Overhang Bracket

Mfg Part#	Wt. (lbs)	Carton Qty
OCM-GRR	3.51	675

OCM, INC.

Bridge Forming Products
BOB Wall Plate Assemblies

Mfg Part#	Wt. (lbs)	Carton Qty
WPLT-ASSY	1.90	20
WPLT-WASHER	0.42	125

**OCM, INC.**

Bridge Forming Products
Bridge Hangers
(Include 1 Nut Each)



Mfg Part#	Wt. (lbs)	S.W.L. (lbs)
BHHFRH90-6P	0.420	3,800
BHHTBH-HH-4506-P	0.570	6,000
BHHWA45-12P	0.850	6,000
BHHW90-12P	0.700	6,000
BH90642-P	0.790	6,000
BH45642-P	0.850	6,000
BH642H90-HDG	0.700	6,000
BH642H-HDG	1.170	6,000
BH1842H-P	1.900	6,000
BH2141H-P	2.100	6,000

OCM, INC.

Scaffolding and Shoring
Products
4x4 Shore Clamp

Mfg Part#	Wt. (lbs)	Carton Qty
SCLAMP4X4	3	15





Local: 972-247-8871

OCM, INC.

Scaffolding and Shoring
Products
Reshore Spring



Mfg Part#	Wt. (lbs)	Carton Qty
OCM-RSS	0.16	250

OCM, INC.


Scaffolding and Shoring
Products
Wire Shore Holder



Mfg Part#	Wt. (lbs)	Carton Qty
OCH-WH	1.75	25

OCM, INC.

Bridge Forming Products
Double Waler Bracket



Mfg Part#	Wt. (lbs)	Carton Qty
WB2X4	0.132	25
WB2X6	0.132	25

OCM, INC.

Light Duty Forming
Products
Speed Lock Bracket



Mfg Part#	Wt. (lbs)	Carton Qty	Safe Working Load (lbs)
SLB	1.73	25	2,250

OCM, INC.

Light Duty Forming
Products
Speed Lock Stiff Back



Mfg Part#	Wt. (lbs)	Carton Qty
SLB-SB	0.5	25

OCM, INC.

Coil Thread Products
Ply-Lag




Mfg Part#	D Size	L Length	Overall Length (in)	Safe Work- ing Load (lbs)
50PLG625	1/2"	3.5"	6.25"	3,000
50PLG675	1/2"	4"	10.75"	3,000
50PLG1075	1/2"	8"	6.75"	3,000
50PLG1475	1/2"	12"	14.75"	3,000

OCM, INC.

Light Duty Forming
Products
Loop Tie

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.

Available Wall Sizes: 6" to 60"



Mfg Part#	Carton Qty	Safe Work- ing Load (lbs)
LPTSP	100	2,250
LPTHP	100	3,000

OCM, INC.

Light Duty Forming
Products
Short Wedge Bolt



Mfg Part#	Bucket Qty	Wt. per Bucket (lbs)
OCMSWBP	250	25

OCM, INC.

Light Duty Forming
Products
J-Strongback Hook



Mfg Part#	Wt. (lbs)
JSBH6P	1.5
JSBH8P	1.3



Toll-Free: 1-800-462-4983

OCM, INC.

Light Duty Forming
Products
Waler Tie



Mfg Part#	Carton Qty
OCMWLTIE4	100
OCMWLTIE6	100

OCM, INC.

Light Duty Forming
Products
Aluminum Form Tie



Mfg Part#	Wall Thickness Size	Type	End	Safe Working Load (lbs)
AFT06FRETQN	6"	Full	Round	3,600
AFT08FRETQN	8"	Full	Round	3,600
AFT09FRETQN	9"	Full	Round	3,600
AFT10FRETQN	10"	Full	Round	3,600
AFT12FRETQN	12"	Full	Round	3,600
AFT14FRETQN	14"	Full	Round	3,600
AFT16FRETQN	16"	Full	Round	3,600
AFT18FRETQN	18"	Full	Round	3,600
AFT20FRETQN	20"	Full	Round	3,600
AFT22FRETQN	22"	Full	Round	3,600
AFT24FRETQN	24"	Full	Round	3,600
AFT06NRETQN	6"	Nominal	Round	3,600
AFT08NRETQN	8"	Nominal	Round	3,600
AFT10NRETQN	10"	Nominal	Round	3,600
AFT12NRETQN	12"	Nominal	Round	3,600
AFT0810NRETQN	8"-10" (Combo)	Nominal	Round	3,600

OCM, INC.

Heavy Duty Forming
Products
Taper Tie

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	Large End Thread	Small End Thread	Overall Length	Safe Working Load (lbs)
7575TT42P	3/4"	3/4"	42.5"	18,000
75100TT60P	1"	3/4"	60"	18,000
75100TT42P	1"	3/4"	42.5"	18,000
100125TT72P	1-1/4"	1"	72"	34,000
100125TT66P	1-1/4"	1"	66"	34,000

OCM, INC.

Light Duty Forming
Products
Aluminum Form Pin



Mfg Part#	Dia	Length	Size	Bucket Qty
AFP225	5/8"	2-1/4"		250
AFP275	5/8"	2-3/4"		250
AFP475	5/8"	4-3/4"		150

OCM, INC.

Light Duty Forming
Products
Aluminum Form Wedge



Mfg Part#	Type	Bucket Qty	Wt. (lbs)
AFTWF	Flat	250	0.26
AFTWC	Curved	250	0.26

OCM, INC.

Light Duty Forming Products
Gang Form Bracket

Mfg Part#	Finish	Carton Qty	Wt. (lbs)
OCM-GFB	Galvanized	50	1.4



OCM, INC.

Heavy Duty Forming
Products
She-Bolts

* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.



Mfg Part#	External Thread	Internal Thread	Overall Length	Safe Working Load (lbs)
507518SBP	3/4"	1/2"	18"	9,000
507520SBP	3/4"	1/2"	20"	9,000
507524SBP	3/4"	1/2"	24"	9,000
6210018SBP	1"	5/8"	18"	12,000
6210020SBP	1"	5/8"	20"	12,000
6210024SBP	1"	5/8"	24"	12,000
7512520SBP	1-1/4"	3/4"	20"	18,000
7512524SBP	1-1/4"	3/4"	24"	18,000
7512530SBP	1-1/4"	3/4"	30"	18,000
7512536SBP	1-1/4"	3/4"	36"	18,000
10015020SBP	1-1/2"	1"	20"	37,500
10015024SBP	1-1/2"	1"	24"	37,500
10015030SBP	1-1/2"	1"	30"	37,500
10015036SBP	1-1/2"	1"	36"	37,500



Local: 972-247-8871

OCM, INC.

Heavy Duty Forming Products
Hook Bolt

1/2" diameter


Mfg Part#	Length	Box Qty
BHD1LA-3P	3"	150
BHD1LA-3.5P	3-1/2"	150
BHD1LA-4.5P	4-1/2"	150
BHD1LA-5P	5"	150
BHD1LA-6.5P	6-1/2"	150
BHD1LA-4.5G*	4-1/2"	150
BHD1LA-6.5G*	6-1/2"	150

* galvanized

**OCM, INC.**

Light Duty Forming Products
Anchor Bolt

* Plain or HDG per ASTM A307
* Rolled Thread
* 3/4", 5/8" Diameter are also available.



Mfg Part#	Size D	Plating	Length L	Wt. (lbs)
AB506P	1/2"	Plain	6"	50
AB508P	1/2"	Plain	8"	60
AB5010P	1/2"	Plain	10"	70
AB5012P	1/2"	Plain	12"	80
AB506HDG	1/2"	Hod Dip Galv.	6"	50
AB508HDG	1/2"	Hod Dip Galv.	8"	60
AB5010HDG	1/2"	Hod Dip Galv.	10"	70
AB5012HDG	1/2"	Hod Dip Galv.	12"	80
AB5014HDG	1/2"	Hod Dip Galv.	14"	100
AB5016HDG	1/2"	Hod Dip Galv.	16"	120
AB5018HDG	1/2"	Hod Dip Galv.	18"	140

OCM, INC.

Light Duty Forming Products
Steel Stakes

TYPES:

- Flat Length: 48"
- Round Length: 12", 18", 24", 30", or 36"
(Diameter: 3/4" or 7/8")



Mfg Part#	Description
STSKFP	Flat Type
STSKRP	Round Type

OCM, INC.

Light Duty Forming Products
Nails


Any type of nail available upon request.



Mfg Part#
OCMNAILS

OCM, INC.

Light Duty Forming Products
Bag Tie



Mfg Part#	Size	Wire Gauge	Bundle Qty
BT16-4	4"	16 ga.	5,000
BT16-4.5	4.5"	16 ga.	5,000
BT16-5	5"	16 ga.	5,000
BT16-5.5	5.5"	16 ga.	5,000
BT16-6	6"	16 ga.	5,000
BT16-7	7"	16 ga.	5,000
BT16-8	8"	16 ga.	5,000
BT16-9	9"	16 ga.	5,000
BT16-10	10"	16 ga.	5,000
BT16-12	12"	16 ga.	5,000
BT16-6-PVC	6"	PVC-16 ga.	5,000
BT16-7-PVC	7"	PVC-16 ga.	5,000
BT16-8-PVC	8"	PVC-16 ga.	5,000
BT16-9-PVC	9"	PVC-16 ga.	5,000
BT17-4	4"	PVC-17 ga.	5,000
BT17-4.5	4.5"	PVC-17 ga.	5,000
BT17-5	5"	PVC-17 ga.	5,000
BT17-5.5	5.5"	PVC-17 ga.	5,000
BT17-6	6"	PVC-17 ga.	5,000
BT17-6.5	6.5"	PVC-17 ga.	5,000
BT17-7	7"	PVC-17 ga.	5,000
BT17-7.5	7.5"	PVC-17 ga.	5,000
BT17-8	8"	PVC-17 ga.	5,000
BT17-9	9"	PVC-17 ga.	5,000
BT17-12	12"	PVC-17 ga.	5,000

OCM, INC.

Light Duty Forming Products
16 gauge Tie Wire

* PVC Coated upon request.



Mfg Part#	Wt. (lbs)	Carton
TIW16	3.5/roll	20 rolls
TIW16-PVC	3.5/roll	20 rolls

Toll-Free: 1-800-462-4983**OCM, INC.**

Light Duty Forming
Products
Spreader Cleats




* Safe Working Load (SWL) provides a safety factor of approximately 2 to 1.

Mfg Part#	Safe Working Load (lbs)
SPCLT	750

OCM, INC.

Light Duty Forming
Products
Ultra C Ring



- Prevents water leakage along tie penetrations.
- Easy attachment to the tie.
- The ULTRA-C-RING is a Hydrophilic Waterstop that swells when in contact with water, stops water penetration.
- Versatile, can be used with: SNAP TIES, LOOP TIES, HEAVY DUTY LOOP TIES, SELF CENTERING LOOP TIES.
- Can be installed with formwork already assembled.
- Proven to be more successful in stopping water penetration than traditional neoprene washer.
- Avoid special orders, long lead times, and expedited freight charges.

Mfg Part#	For Use With	Box Quantity
25-UCR	Snap Ties, Standard Loop Ties	100 pcs
25-UCR-H	Heavy Duty Loop Ties, Heavy Duty Snap Ties, Self Centering Loop Ties	100 pcs

OCM, INC.

Light Duty Forming
Products
Slab Bolster Grey



Mfg Part#	Size	Weight per LF (lbs)	Bundle Qty
SBCOMP-75	3/4"	0.10	100
SBCOMP-100	1"	0.10	100
SBCOMP-125	1-1/4"	0.12	100
SBCOMP-150	1-1/2"	0.14	100
SBCOMP-200	2"	0.16	100
SBCOMP-225	2-1/4"	0.16	100
SBCOMP-250	2-1/2"	0.17	100
SBCOMP-300	3"	0.19	100

OCM, INC.

Light Duty Forming
Products
Plastic UNI CHAIR



Mfg Part#	Size	Weight/Box (lbs)	Box Qty
PHC.75-.75	3/4"	39	1000
PHC1-1.5	1" - 1 1/2"	27	500
PHC1.25-1.75	1 1/4" - 1 3/4"	32	500
PHC2-2.5	2" - 2 1/2"	28	250
PHC2.25-2.75	2 1/4" - 2 3/4"	26	250
PHC3-3.5	3" - 3 1/2"	22	300
PHC3.25-3.75	3 1/4" - 3 3/4"	25	300
PHC4-4.5	4" - 4 1/2"	34	200
PHC4.25-4.75	4 1/4" - 4 3/4"	39	200
PHC5-5.5	5" - 5 1/2"	35	200
PHC5.25-5.75	5 1/4" - 5 3/4"	39	200
PHC6-6.5	6" - 6 1/2"	36	200

OCM, INC.

Light Duty Forming Products
Sand Plates



Mfg Part#	Weight/Box (lbs)	Box Qty
IHCCOMP-SP-1-4.75	22	500
IHCCOMP-SP-5-6	30	500

OCM, INC.

Light Duty Forming Products
Individual High Chair with Sand Plates



Mfg Part#	Size	Wt (lbs)	Box Qty
IHC200-PPLATE	2"	.12	50
IHC250-PPLATE	2.5"	--	50
IHC300-PPLATE	3"	.16	50
IHC350-PPLATE	3.5"	.18	50
IHC400-PPLATE	4"	.20	50
IHC700-PPLATE	7"	--	50

OCM, INC.

Light Duty Forming Products
Metal Keyway Screed
24 Ga



Mfg Part#	Size	Length	Qty
MKS350-10	3 1/2" for 4" Slab	10'	10 per bundle
MKS450-10	4 1/2" for 5" Slab	10'	
MKS550-10	5 1/2" for 6" Slab	10'	
MKS750-10	7 1/2" for 8" Slab	10'	25 bundles per skid
MKS950-10	9 1/2" for 8" Slab	10'	



Local: 972-247-8871

OCM, INC.

Light Duty Forming Products
Metal Keyway Stakes

13 Ga

Mfg Part#	Length	Qty
MKS-12	12"	100
MKS-15	15"	10
MKS-18	18"	100
MKS-24	24"	100


**OCM, INC.**

Light Duty Forming Products
Steel Stakes

Mfg Part#	Dia.	Length	Box Qty
SS7512-RH	3/4"	12"	10
SS7518-RH	3/4"	18"	10
SS7524-RH	3/4"	24"	10
SS7530-RH	3/4"	30"	10
SS7536-RH	3/4"	36"	10
SS7542-RH	3/4"	42"	10
SS7548-RH	3/4"	48"	10
SS87X18-RH	7/8"	18"	10
SS87X24-RH	7/8"	24"	10
SS87X30-RH	7/8"	30"	10
SS87X36-RH	7/8"	36"	10
SS87X42-RH	7/8"	42"	10
SS87X48-RH	7/8"	48"	10

**OCM, INC.**

Light Duty Forming Products
Continuous High Chair Upper



Mfg Part#	Size / Desc.	Bundle Qty
-----------	--------------	------------

Plain


CHCU700	7" Plain	50 lf
CHCU800	8" Plain	50 lf
CHCU900	9" Plain	50 lf

Epoxy

CHCU700-E	7" Epoxy	50 lf
CHCU800-E	8" Epoxy	50 lf
CHCU900-E	9" Epoxy	50 lf

OCM, INC.

Light Duty Forming Products
Individual High Chairs



Mfg Part#	Size.	Wt. (lbs)	Box Qty
-----------	-------	-----------	---------

Individual High Chairs


Plain	Dipped	Epoxy			
IHC100-P	IHC100-PD	IHC100-E	1"	--	100
IHC125-P	IHC125-PD	IHC125-E	1.25"	--	100
IHC150-P	IHC150-PD	IHC150-E	1.5"	--	100
IHC200-P	IHC200-PD	IHC200-E	2"	.21	100
IHC225-P	IHC225-PD	IHC225-E	2.25"	.21	100
IHC250-P	IHC250-PD	IHC250-E	2.5"	.21	100
IHC275-P	IHC275-PD	IHC275-E	2.75"	.21	100
IHC300-P	IHC300-PD	IHC300-E	3"	.21	100
IHC325-P	IHC325-PD	IHC325-E	3.25"	.26	100
IHC350-P	IHC350-PD	IHC350-E	3.5"	.26	100
IHC375-P	IHC375-PD	IHC375-E	3.75"	.26	100
IHC400-P	IHC400-PD	IHC400-E	4"	.26	100
IHC425-P	IHC425-PD	IHC425-E	4.25"	.30	100
IHC450-P	IHC450-PD	IHC450-E	4.5"	.30	100
IHC475-P	IHC475-PD	IHC475-E	4.75"	.30	100
IHC500-P	IHC500-PD	IHC500-E	5"	.30	100
IHC550-P	IHC550-PD	IHC550-E	5.5"	.47	100
IHC600-P	IHC600-PD	IHC600-E	6"	.47	100
IHC700-P	IHC700-PD	IHC700-E	7"		100
IHC800-P	IHC800-PD	IHC800-E	8"		100
IHC1000-P	IHC1000-PD	IHC1000-E	10"		100

Individual Bar Chairs

Plain	Dipped	Epoxy			
IBC75-P	IBC75-PD	IBC75-E	3/4"	.05	100
IBC100-P	IBC100-PD	IBC100-E	1"	.08	100
IBC125-P	IBC125-PD	IBC125-E	1.25"	.09	100
IBC150-P	IBC150-PD	IBC150-E	1.5"	.09	100
IBC175-P	IBC175-PD	IBC175-E	1.75"	.10	100

OCM, INC.

Light Duty Forming Products
Continuous High Chair



Mfg Part#	Size / Desc.	Bundle Qty
-----------	--------------	------------

Epoxy


CHC350-E	3.5" Epoxy	100
CHC400-E	4" Epoxy	100
CHC450-E	4.5" Epoxy	100
CHC500-E	5" Epoxy	100
CHC600-E	6" Epoxy	100

Dipped

CHC350-PD	3.5" Dipped	100
CHC400-PD	4" Dipped	100
CHC500-PD	5" Dipped	100

Toll-Free: 1-800-462-4983**OCM, INC.**

Light Duty Forming
Products
Slab Bolster with Sand
Plate



Mfg Part#	Size	Wt (lbs)	Bundle Qty
SB200-PP	2" x 5'	.27	100 lf
SB300-PP	3" x 5'	.35	100 lf

OCM, INC.

Light Duty Forming
Products
Slab Bolster



Mfg Part#	Size / Desc.	Bundle Qty
-----------	--------------	------------

Plain

SB75-P	3/4" Plain	100 lf
SB100-P	1" Plain	100 lf
SB125-P	1.25" Plain	100 lf
SB150-P	1.5" Plain	100 lf
SB200-P	2" Plain	100 lf
SB225-P	2.25" Plain	100 lf
SB250-P	2.5" Plain	100 lf
SB300-P	3" Plain	100 lf

Tipped/Dipped


SB75-PD	.75" Tip	100 lf
SB100-PD	1" Dip	100 lf
SB150-PD	1.5" Dip	100 lf
SB200-PD	2" Dip	100 lf
SB225-PD	2.25" Dip	100 lf
SB250-PD	2.5" Dip	100 lf
SB275-PD	2.75" Dip	100 lf
SB300-PD	3" Dip	100 lf
SB325-PD	3.25" Dip	100 lf
SB350-PD	3.5" Dip	100 lf

Epoxy

SB75-E	3/4" Epoxy	100 lf
SB100-E	1" Epoxy	100 lf
SB125-E	1.25" Epoxy	100 lf
SB150-E	1.5" Epoxy	100 lf
SB200-E	2" Epoxy	100 lf
SB250-E	2.5" Epoxy	100 lf
SB300-E	3" Epoxy	100 lf

OCM, INC.

Light Duty Forming
Products
Slab Bolster Upper



Mfg Part#	Size / Desc.	Bundle Qty
-----------	--------------	------------

Plain

SBU75-P	.75" Plain	100 lf
SBU100-P	1" Plain	100 lf
SBU125-P	1.25" Plain	100 lf
SBU150-P	1.5" Plain	100 lf
SBU200-P	2" Plain	100 lf
SBU225-P	2.25" Plain	100 lf
SBU250-P	2.5" Plain	100 lf
SBU300-P	3" Plain	100 lf
SBU325-P	3.25" Plain	100 lf
SBU350-P	3.5" Plain	100 lf
SBU400-P	4" Plain	100 lf
SBU425-P	4.25" Plain	100 lf
SBU450-P	4.5" Plain	100 lf
SBU475-P	4.75" Plain	100 lf
SBU500-P	5" Plain	100 lf
SBU550-P	5.5" Plain	100 lf
SBU600-P	6" Plain	100 lf

Epoxy

SBU75-E	3/4" Epoxy	100 lf
SBU100-E	1" Epoxy	100 lf
SBU125-E	1.25" Epoxy	100 lf
SBU150-E	1.5" Epoxy	100 lf
SBU175-E	1.75" Epoxy	100 lf
SBU200-E	2" Epoxy	100 lf
SBU225-E	2.25" Epoxy	100 lf
SBU250-E	2.5" Epoxy	100 lf
SBU275-E	2.75" Epoxy	100 lf
SBU300-E	3" Epoxy	100 lf
SBU325-E	3.25" Epoxy	100 lf
SBU350-E	3.5" Epoxy	100 lf
SBU375-E	3.75" Epoxy	100 lf
SBU400-E	4" Epoxy	100 lf
SBU425-E	4.25" Epoxy	100 lf
SBU450-E	4.5" Epoxy	100 lf
SBU475-E	4.75" Epoxy	100 lf
SBU500-E	5" Epoxy	100 lf
SBU525-E	5.25" Epoxy	100 lf
SBU550-E	5.5" Epoxy	100 lf
SBU575-E	5.75" Epoxy	100 lf
SBU600-E	6" Epoxy	100 lf



Local: 972-247-8871

OCM, INC.

Light Duty Forming
Products
Beam Bolster Dipped



Mfg Part#	Size / Desc.	Bundle Qty
BB100-PD	1" Dip	100 lf
BB150-PD	1.5" Dip	100 lf
BB200-PD	2" Dip	100 lf
BB300-PD	3" Dip	100 lf

OCM, INC.

Light Duty Forming
Products
Beam Bolster Upper
Plain



Mfg Part#	Size / Desc.	Bundle Qty
BBU100-P	1" Plain	100 lf
BBU150-P	1.5" Plain	100 lf
BBU200-P	2" Plain	100 lf
BBU300-P	3" Plain	100 lf

OCM, INC.

Light Duty Forming Products
Plastic Paving Chair

Mfg Part#	Size	Box Qty
PC-225	2-1/4"	500
PC-325	3-1/4"	500

**OCM, INC.**

Light Duty Forming Products
Intersectional Chair

Mfg Part#	Size	Wt/Box (lbs)	Box Qty
ICCOMP-150	1-1/2"	36	1000
ICCOMP-200	2"	39	1000
ICCOMP-250	2-1/2"	38	1000
ICCOMP-300	3"	39	1000
ICCOMP-350	3-1/2"	36	750
ICCOMP-400	4"	27	450

**OCM, INC.**

Light Duty Forming Products
Grade Chair with Base



Mfg Part#	Size	Wt/Box (lbs)	Box Qty
GCCOMP-1.5-2	1-1/2" to 2"	36	500
GCCOMP-2-2.5	2" to 2-1/2"	39	1000
GCCOMP-3-3.5	3" to 3-1/2"	38	300
GCCOMP-3.5-4	3-1/2" to 4"	39	1000

OCM, INC.

Light Duty Forming Products
Wheel Spacer



Mfg Part#	Size/Desc.	Wt/Box (lbs)	Box Qty
WS-75	3/4"	11	750
WS-100	1"	10	500
WS-150	1-1/2"	8	200
WS-200	2"	16	300
WS-250	2-1/2"	16	250
WS-300	3"	20	200
WSM-75	3/4" Mesh	7	750
WSM-100	1"	13	900
WSM-150	1-1/2"	7	200

OCM, INC.

Light Duty Forming Products
OSHA Approved Rebar Caps

Mfg Part#	Size	Box Qty
RC-DISC10	#3 - #7	25
RC-DISCHHM	#8 - #12	50

**OCM, INC.**

Light Duty Forming Products
Rebar Mushroom Cap

Mfg Part#	Size	Box Qty
RC-MUSH	#3 - #8	500

**OCM, INC.**


Scaffolding Products
Screw Jack

* Hollow type upon request.

Mfg Part#	Height Adj. H	Length AL	Base Plate L x W	Nut	Finish	Wt. (lbs)
18ASJ	24"	18"	5" x 5"	9" Adj.	Zinc	12

Toll-Free: 1-800-462-4983**OCM, INC.**

Light Duty Forming Products
Plastic Dowel Caps



Mfg Part#	Size	Box Qty
PDC050-4	1/2" x 4"	1,000
PDC62-4	5/8" x 4"	1,000
PDC075-4	3/4" x 4"	800
PDC100-4	1" x 4"	500
PDC125-4	1-1/4" x 4"	500
PDC/CW050-4	1/2" x 4" Clear/White	1,000
PDC/CW075-4	3/4" x 4" Clear/White	800

OCM, INC.

Scaffolding Products
Screw Jack


* Hollow type upon request.

Mfg Part#	Height Adj.		Length Base Plate		Nut	Finish	Wt. (lbs)
	H	AL	L x W	9" Adj.			
18ASJ	24"	18"	5" x 5"			Zinc	12

OCM, INC.

Precast Products
Precast Lifting Anchors

* Safe Working Load (SWL) provides a safety factor of approximately 4 to 1.



Mfg Part#	Size D	Length L	Wt. (lbs)	Safe Working Load (lbs)
PLA375	3/8"	2-5/8" - 9-1/2"	17	1,700 - 2,000
PLA562	9/16"	2-3/4" - 11"	42	2,100 - 4,000
PLA075	3/4"	2-3/4" - 19"	135	4,000 - 8,000
PLA109	1-3/32"	4-3/4" - 26-3/4"	305	6,400 - 16,000
PLA150	1-1/2"	10" - 19-3/4"	728	25,000 - 40,000

OCM, INC.

Precast Products
Coil Inserts

Straight coil loop insert plated.



Mfg Part#	Size D	Length L	Wt. (lbs)	Safe Working
				Load (lbs)
SCLI50X4G	1/2"	4"	0.18	2,250
SCLI50X6G	1/2"	6"	0.3	3,750
SCLI75X4G	3/4"	4"	0.38	3,250
SCLI75X6G	3/4"	6"	0.4	3,750
SCLI100X6G	1"	6"	0.81	3,750

OCM, INC.

Precast Products
Coil Inserts

Flared coil loop insert plain.



Mfg Part#	Size D	Length L	Wt. (lbs)
FCLI75X6X6XP	3/4"	6"	0.64

OCM, INC.

Light Duty Forming Products
Bentoswell (Bentonite) Waterstop



A flexible concrete construction water swelling strip that provides a positive seal by expanding upon contact with moisture. OCM Bentoswell is a special blend of Butyl Rubber Polymers and Bentonite Clay that provides superior expansion characteristics in concrete construction joints.

- Easy Installation
- Low Temperature Flexibility
- Safe (no special handling required and non-toxic)

Mfg Part#	Description
BS-75100-RT	3/4" x 1" x 16'-8" rolls (6 rolls per case)

OCM, INC.

Light Duty Forming Products
Bentoswell (Bentonite) Primer



A trowel-grade sodium bentonite-butyl rubber sealant designed to be used as a detail accessory in conjunction with other waterproofing products for below-grade concrete water proofing. The material swells upon contact with water to provide a water-tight seal.

- Easy to apply
- Bonds to most substrate materials
- No primer or surface preparation required
- Expands with water contact to create a water-tight seal

Mfg Part#	Weight	Box Qty
BS-PRIMER-1GAL	10.8	4



Local: 972-247-8871

OCM, INC.

Rebar Splicing Splice Clip

- A cost effective, reliable method for joining small diameter reinforcing bars.
- The service splice exceeds the nominal yield point of steel.
- May be used to make a quick, reliable splice reducing project delays when compared to competitive products.
- Can be made outdoors under any weather conditions, eliminating project delay.
- Trained technicians not required to utilize splicing equipment.
- The integrity of the splice may be quickly determined by visual inspection, assuring a reliable splice.
- Ease and speed of installation with portable equipment increases profitability.



* Butt Splicing and Rebar End-Anchor types also available upon request.

Type	Rebar Size	L (in/mm)	OD1 (in/mm)	OD2 (in/mm)	t (in/mm)	WH (in/mm)
Lap Splicing	#3	1.34/35	1.18/30	0.71/18	0.12/3.0	0.39/10
Lap Splicing	#4	1.57/40	1.54/39	0.98/25	0.18/4.5	0.39/10
Lap Splicing	#5	2.36/60	1.81/46	1.14/29	0.20/5.0	0.57/14.5
Lap Splicing	#6	2.76/70	2.22/56.5	1.34/34	0.24/6.0	0.65/16.5

OCM, INC.

Waterstop Products Adeka Ultra Seal

- Hydrophilic strip with embedded stainless steel net.
- Cross section is 20mm x 10mm (3/4" x 3/8").
- Replaces conventional PVC in non-moving joints.
- Will withstand 150 foot hydrostatic head pressure.
- NSF certified for potable water.



Mfg Part#

MC-2010MN

OCM, INC.

Waterstop Products Adeka Ultra Seal

Used in precast segments, piping penetrations, sheet pile interlocks, in combination with other Adeka strip products on rough concrete, crack, joint repair and many other applications.

- Hydrophilic paste in 11 ounce cartridge or 3.17 gallon pails.
- One of the most versatile Adeka products.



Mfg Part#

P201

OCM, INC.

Precast Products Precast Utility Anchors

* Safe Working Load (SWL) provides a safety factor of approximately 4 to 1.

Mfg Part#	A	B	Min. Panel Thickness	Min. Panel Thickness	Safe Working Tension Load (lbs)	Safe Working Tension Load (lbs)	Safe Working Shear Load (lbs)	Safe Working Shear Load (lbs)
UA4444	5-1/4"	3-1/8"	4"	3-1/2"	1,125	795	1,725	795
UA5444	9-3/8"	3-3/4"	5"	4-1/4"	3,000	2,100	6,750	2,100
UA6444	7-3/8"	4-3/4"	5-5/8"	4-1/4"	4,000	2,825	9,000	2,825
UA5671	9-1/2"	3-3/4"	5"	4-1/4"	3,750	2,650	7,500	2,650
UA6671	7-3/8"	4-3/4"	5-5/8"	4-1/4"	5,000	3,525	10,000	3,525
UA8671	9-3/4"	6-3/4"	7-5/8"	6"	10,000	7,075	12,000	7,075

